

Marlex® HXM 56120 Polyethylene

Version 1.1

Revision Date 2019-10-28

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1

Product information

Product Name Material	Marlex® HXM 56120 Polyethylene 1123886, 1123885, 1123884, 1123883, 1123882, 1123880,
	1123879, 1123878, 1123877, 1123876, 1123875, 1123874

1.3

Details of the supplier of the safety data sheet

Company	: Chevron Phillips Chemical Company LP 10001 Six Pines Drive The Woodlands, TX 77380
Local	 Chevron Phillips Chemicals International N.V. Airport Plaza (Stockholm Building) Leonardo Da Vincilaan 19 1831 Diegem Belgium

SDS Requests: (800) 852-5530	
Technical Information: (832) 813-4862	
Responsible Party: Product Safety Grou	up
Email:sds@cpchem.com	

1.4

Emergency telephone:

Health:	
866.442.9628 (North America)	
1.832.813.4984 (International)	
Transport:	
CHEMTREC 800.424.9300 or	
	86 1132) China: 0532 8388 9090
	5 (phone) or +32.14583516 (telefax)
Mexico CHEMTREC 01-800-6	
South America SOS-Cotec Ins	side Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431	
Responsible Department :	Product Safety and Toxicology Group
E-mail address :	SDS@CPChem.com
SDS Number:100000104080	1/11

Marlex® HXM 56120 Polyethylene

Version 1.1

Revision Date 2019-10-28

Website

: www.CPChem.com

MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues.

Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use.

Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

SECTION 2: Hazards identification

2.1

Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

SECTION 3: Composition/information on ingredients

3.1 - <mark>3.2</mark>

Substance or Mixture

Hazardous ingredients

Chemical name	CAS-No.ClassificationEC-No.(REGULATION (EC) NoIndex No.1272/2008)		Concentration [wt%]			
Polyethylene Hexene Copolymer	25213-02-9		99 - 100			
Contains no hazardous ingredients according to GHS. :						

SECTION 4: First aid measures

4.1

Description of first-aid measures

If inhaled	: Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	: If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it.
SDS Number:100000104080	2/11

	rlex® HXM 56120 P	ΛΙν	/ethviene
	sion 1.1	Ory	Revision Date 2019-10-2
	In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	If swallowed	:	Do not induce vomiting without medical advice.
SEC	CTION 5: Firefighting measu	ires	
	Flash point	:	No data available
	Autoignition temperature	:	No data available
5.1	Extinguishing media		
	Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2	Special hazards arising fro Specific hazards during fire fighting		
	Specific hazards during fire		Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on
	Specific hazards during fire fighting Advice for firefighters Special protective		Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained
	Specific hazards during fire fighting Advice for firefighters Special protective equipment for fire-fighters		Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
	Specific hazards during fire fighting Advice for firefighters Special protective equipment for fire-fighters Further information Fire and explosion		Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. This material will burn although it is not easily ignited. Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion
5.3	Specific hazards during fire fighting Advice for firefighters Special protective equipment for fire-fighters Further information Fire and explosion protection Hazardous decomposition	: : :	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. This material will burn although it is not easily ignited. Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
5.3 SEC	Specific hazards during fire fighting Advice for firefighters Special protective equipment for fire-fighters Further information Fire and explosion protection Hazardous decomposition products	: : : me	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. This material will burn although it is not easily ignited. Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
5.3 5EC	Specific hazards during fire fighting Advice for firefighters Special protective equipment for fire-fighters Further information Fire and explosion protection Hazardous decomposition products	: : : tect	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. This material will burn although it is not easily ignited. Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
5.2 5.3 5EC 5.1	Specific hazards during fire fighting Advice for firefighters Special protective equipment for fire-fighters Further information Fire and explosion protection Hazardous decomposition products CTION 6: Accidental release Personal precautions, protection	: : : : : : : :	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges. Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary. This material will burn although it is not easily ignited. Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde. asures Sweep up to prevent slipping hazard. Avoid breathing dust.

SAFETY DATA SHEET

Version 1.1

Revision Date 2019-10-28

		Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
6	5.3	Methods and materials for c Methods for cleaning up		tainment and cleaning up Clean up promptly by sweeping or vacuum.
		Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
6	5.4	Reference to other sections		

SEC	CTION 7: Handling and storag	je	
7.1	Precautions for safe handlin Handling	ŋ	
	Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers.
			Spilled pellets and powders may create a slipping hazard.
			Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
	Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
7.2	Conditions for safe storage,	in	cluding any incompatibilities
	Storage		
	Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
	Advice on common storage	:	Do not store together with oxidizing and self-igniting products.
SDS	S Number:100000104080		4/11

Version 1.1

Revision Date 2019-10-28

SAFETY DATA SHEET

SECTION 8: Exposure controls/personal protection

8.2

Exposure controls Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. Use a positive pressure, air- supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
Eye protection	Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection	At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.

SECTION 9: Physical and chemical properties

9.1

Information on basic physical and chemical properties

Appearance

Form Physical state Color Odor Odor Threshold	 Pellets Solid Opaque Mild to no odor No data available 	
Safety data		
Flash point	: No data available	
Lower explosion limit	: Not applicable	
SDS Number:100000104080		5/11

Marlex® HXM 56120 Polyethylene

viariex® HXIVI 56120 Pol	IYe	etnylene
Version 1.1		Revision Date 2019-10-28
		Net englischie
Upper explosion limit	:	Not applicable
Autoignition temperature	:	No data available
Thermal decomposition	:	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	:	Not applicable
Melting point/range	:	90 - 140 °C (194 - 284 °F)
Melting point/freezing point		Not applicable
Initial boiling point and boiling range	:	Not applicable
Vapor pressure	:	Not applicable
Relative density	:	Not applicable
Density	:	0,91 - 0,97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
Water solubility	:	Negligible
Partition coefficient: n-	:	No data available
octanol/water Solubility in other solvents	:	No data available
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Relative vapor density	:	Not applicable
Evaporation rate	:	Not applicable
ECTION 10: Stability and reactive	/ity	
0.1		
Reactivity	:	This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.

temperature and pressure.

10.2

SDS Number:100000104080

Aarlav® HYM 56120 Da	SAFETY DATA SHEE		
Marlex® HXM 56120 Po /ersion 1.1	Revision Date 2019-10-2		
Chemical stability	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.		
).3			
Possibility of hazardous rea	ctions		
0.4 Conditions to avoid	Avoid prolonged storage at elevated temperature.		
0.5 Materials to avoid	: Avoid contact with strong oxidizing agents.		
Thermal decomposition	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.		
0.6 Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.		
Other data	: No decomposition if stored and applied as directed.		
 I.1			
	leffects		
I.1 Information on toxicological Marlex® HXM 56120 Polyeth	l effects lylene : Presumed Not Toxic		
I.1 Information on toxicological Marlex® HXM 56120 Polyeth Acute oral toxicity Marlex® HXM 56120 Polyeth	l effects ylene : Presumed Not Toxic ylene : Presumed Not Toxic ylene		
1.1 Information on toxicological Marlex® HXM 56120 Polyeth Acute oral toxicity Marlex® HXM 56120 Polyeth Acute inhalation toxicity Marlex® HXM 56120 Polyeth	l effects ylene : Presumed Not Toxic ylene : Presumed Not Toxic ylene : Presumed Not Toxic		
I.1 Information on toxicological Marlex® HXM 56120 Polyeth Acute oral toxicity Marlex® HXM 56120 Polyeth Acute inhalation toxicity Marlex® HXM 56120 Polyeth Acute dermal toxicity Marlex® HXM 56120 Polyeth	I effects Nylene Presumed Not Toxic Nylene Presumed Not Toxic Nylene Presumed Not Toxic Nylene Not Not Toxic Nylene Not Skin irritation		
1.1 Information on toxicological Marlex® HXM 56120 Polyeth Acute oral toxicity Marlex® HXM 56120 Polyeth Acute inhalation toxicity Marlex® HXM 56120 Polyeth Acute dermal toxicity Marlex® HXM 56120 Polyeth Skin irritation	I effects Nylene Presumed Not Toxic Nylene Presumed Not Toxic Nylene Presumed Not Toxic Nylene No skin irritation Nylene No skin irritation		
Marlex® HXM 56120 Polyeth Acute oral toxicity Marlex® HXM 56120 Polyeth Acute inhalation toxicity Marlex® HXM 56120 Polyeth Acute dermal toxicity Marlex® HXM 56120 Polyeth Skin irritation Marlex® HXM 56120 Polyeth Eye irritation	I effects pylene Presumed Not Toxic pylene Presumed Not Toxic pylene Presumed Not Toxic pylene No skin irritation pylene No eye irritation pylene Did not cause sensitization on laboratory animals.		

Marlex® HXM 56120 Polyethylene

Version 1.1 Revision Date 2019-10-28 which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence. **SECTION 12: Ecological information** 12.1 Toxicity **Ecotoxicity effects** 12.2 Persistence and degradability Biodegradability : This material is not expected to be readily biodegradable. 12.3 **Bioaccumulative potential** Elimination information (persistence and degradability) Bioaccumulation : Does not bioaccumulate. 12.4 Mobility in soil Mobility : The product is insoluble and floats on water. 12.5 Results of PBT and vPvB assessment 12.6 Other adverse effects Additional ecological : This material is not expected to be harmful to aquatic information organisms., Fish or birds may eat pellets which may obstruct their digestive tracts. Ecotoxicology Assessment Short-term (acute) aquatic : This product has no known ecotoxicological effects. hazard Long-term (chronic) aquatic : This product has no known ecotoxicological effects. hazard **SECTION 13: Disposal considerations** 13.1 Waste treatment methods The information in this SDS pertains only to the product as shipped. Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility. SDS Number:100000104080 8/11

Version 1.1

Revision Date 2019-10-28

SECTION 14: Transport information

14.1 - 14.7

Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1

Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

SDS Number:100000104080

9/11

arlex® HXM 56120 Pol	SAFETY DATA SHEE			
ersion 1.1	Revision Date 2019-10-2			
Commission Regulation (EU) 2	015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 c f the Council on the Registration, Evaluation, Authorisation and			
Water contaminating class (Germany)	: nwg not water endangering			
.2				
Major Accident Hazard Legislation	: 96/82/EC Update: 2003 Directive 96/82/EC does not apply			
: ZEU_SEVES3 Update: Not applicable				
Notification status Europe REACH Switzerland CH INV United States of America (USA TSCA Canada DSL Australia AICS New Zealand NZIoC Japan ENCS Korea KECI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On or in compliance with the active portion of the TSCA inventory All components of this product are on the Canadian DSL On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance. 			
Philippines PICCS China IECSC Taiwan TCSI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory 			
CTION 16: Other information				
NFPA Classification :	Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0			
Further information				
Significant changes since the la previous versions.	est version are highlighted in the margin. This version replaces all			
The information in this SDS per	tains only to the product as shipped.			
	Safety Data Sheet is correct to the best of our knowledge, the of its publication. The information given is designed only as a			
OS Number:100000104080	10/11			

Version 1.1

Revision Date 2019-10-28

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50	Lethal Concentration 50%			

SDS Number:100000104080