

## Marlex® 9512H Polyethylene

Version 3.3

Revision Date 2019-10-15

TION 1: Identification of	f the substance/mixture and of the company/undertaking
Product information	
Product Name Material	<ul> <li>Marlex® 9512H Polyethylene</li> <li>1121414, 1121413, 1121379, 1038691, 1038683, 1040906, 1040907, 1038681, 1038707, 1038705, 1039148, 1038699, 1039147, 1038689, 1038697</li> </ul>
Company	: Chevron Phillips Chemical Company LP 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone:	
Asia: CHEMWATCH ( EUROPE: BIG +32.14 Mexico CHEMTREC (	national) .9300 or 703.527.3887(int'l) (+612 9186 1132) China: 0532 8388 9090 4.584545 (phone) or +32.14583516 (telefax) 01-800-681-9531 (24 hours) Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Responsible Department E-mail address Website	<ul> <li>Product Safety and Toxicology Group</li> <li>SDS@CPChem.com</li> <li>www.CPChem.com</li> </ul>
	N CAUTION: Do not use this material in medical applications involving n the human body or permanent contact with internal body fluids or tissues
human body or contact w	n medical applications involving brief or temporary implantation in the <i>i</i> th internal body fluids or tissues unless the material has been provided illips Chemical Company LP or its legal affiliates under an agreement which the contemplated use.
express warranty or impli	al Company LP and its legal affiliates makes no representation, promise, ied warranty concerning the suitability of this material for use in implantation contact with internal body fluids or tissues.
Number:10000000614	1/12
	1/12

# Marlex® 9512H Polyethylene

### Version 3.3

Revision Date 2019-10-15

### **SECTION 2: Hazards identification**

Classification	: Combustible dust
Labeling	
Signal Word	: Warning
Hazard Statements	: May form combustible dust concentrations in air. While this product may not be a combustible dust as sold, further processing or handling may form combustible dust concentration in air.
Potential Health Effects	
Physical Hazards	: Pellets may cause a slip hazard on hard surfaces. Mechanical processing may form combustible dust concentrations in air and thermal processing at elevated temperatures may generate formaldehyde.
Inhalation	<ul> <li>Repeated exposure to dust from this material may cause respiratory irritation.</li> <li>Fumes generated during thermal processing may cause irritation of the upper respiratory tract.</li> </ul>
Skin	<ul> <li>Contact with the skin is not expected to cause prolonged or significant irritation.</li> <li>Contact with the skin is not expected to cause an allergic response.</li> <li>If this material is heated, thermal burns may result from contact Thermal burns may include pain or feeling of heat, discolorations, swelling, and blistering.</li> </ul>
Eyes	<ul> <li>Contact with the eyes may cause irritation due to the abrasive action.</li> <li>Not expected to cause prolonged or significant eye irritation.</li> <li>Thermal burns may result if heated material contacts eye.</li> </ul>
Ingestion	: Ingestion of this product is not a likely route of exposure.
Carcinogenicity:	
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

Version 3.3

Revision Date 2019-10-15

TION 3: Composition/inforr			-		
Component			CAS-No.	Weight %	
Polyethylene Hexene Copoly	mer		25213-02-9	99 - 100	
TION 4: First aid measures					
If inhaled	:	fumes f		of accidental inhalation of dust or r combustion. If symptoms persis	t,
In case of skin contact	:	immedi	ate medical attenti	on skin, quickly cool in water. Se on. Do not try to peel the solidifie use solvents or thinners to dissolve	d
In case of eye contact	:		ase of contact with r and seek medica	n eyes, rinse immediately with plei I advice.	nty
If swallowed	:	Do not	induce vomiting wi	thout medical advice.	
TION 5: Firefighting measu	res				
Flash point	:	No data	a available		
Autoignition temperature	:	No data	available		
Suitable extinguishing media	:	Foam. fogging applicat surface create a extingu	If possible, water a nozzle since this tion of high velocity layer. Avoid the u a dust cloud and th ishing measures th	chemical. Carbon dioxide (CO2). should be applied as a spray from s a surface burning material. The y water will spread the burning use of straight streams that may he risk of a dust explosion. Use hat are appropriate to local rrounding environment.	а
Specific hazards during fire fighting	:	explosi		by flame propagation or secondar I by the accumulation of dust, e.g.	
Special protective equipment for fire-fighters	:			quipment. Wear self-contained efighting if necessary.	
Further information	:	This ma	aterial will burn alth	hough it is not easily ignited.	
Fire and explosion protection	:	dispers	ed in air in sufficie ce of an ignition so	ourn. Avoid generating dust; fine ont concentrations, and in the urce is a potential dust explosion	dus
Hazardous decomposition products	:	produce	e carbon monoxide	carbon dioxide, water vapor and e, other hydrocarbons and oducts (ketones, aldehydes, organ	

#### SAFETY DATA SHEET

Version 3.3

Revision Date 2019-10-15

acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

### **SECTION 6: Accidental release measures**

Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

### **SECTION 7: Handling and storage**

#### Handling

Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers.
		Spilled pellets and powders may create a slipping hazard.
		Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Storage		
Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
Advice on common storage	:	Do not store together with oxidizing and self-igniting products.
SDS Number:10000000614		4/12

## Marlex® 9512H Polyethylene

Version 3.3

Revision Date 2019-10-15

#### **SECTION 8: Exposure controls/personal protection**

#### Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note			
Nuisance Dust	OSHA Z-3	TWA	15 mg/m3	Total dust			
	OSHA Z-3	TWA	5 mg/m3	(respirable dust)			

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline\* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust. \* This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica.

#### **Engineering measures**

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection	material generates w controlled by ventilat the following element Vapor and Formalde supplying respirator release, exposure le where air-purifying re-	ction is normally required. If heated vapor or fumes that are not adequately tion, wear an appropriate respirator. Use the for air-purifying respirators: Organic ehyde. Use a positive pressure, air- if there is potential for uncontrolled evels are not known, or other circumstances espirators may not provide adequate ety masks are recommended when the s excessive.
Eye protection	good industrial pract chemical goggles or	es with side shields for solid handling is tice. If this material is heated, wear safety glasses with side shields or a face tential for dust, use chemical goggles.
Skin and body protection	good industrial pract wear thermally insul- withstand the tempe material is heated, w	tures use of clean and protective clothing is tice. If the material is heated or molten, ated, heat-resistant gloves that are able to rature of the molten product. If this year insulated clothing to prevent skin g controls or work practices are not
<b>SECTION 9: Physical and cher</b>	properties	

Appearance	
Form Physical state Color Odor Odor Threshold	<ul> <li>Pellets</li> <li>Solid</li> <li>Opaque</li> <li>Mild to no odor</li> <li>No data available</li> </ul>
Safety data	

ersion 3.3	Revision Date 2019-10-1
Flash point	: No data available
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Autoignition temperature	: No data available
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	: Not applicable
Melting point/range	: 90 - 140 °C (194 - 284 °F)
Freezing point	Not applicable
Initial boiling point and boiling	: Not applicable
range Vapor pressure	: Not applicable
Relative density	: Not applicable
Density	: 0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
Water solubility	: Negligible
Partition coefficient: n- octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable
CTION 10: Stability and reactiv	/ity

## S

Reactivity

: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.

SDS Number:10000000614

arlex® 9512H Polyeth	SAFETY DATA SHEE		
ersion 3.3	Revision Date 2019-10-1		
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.		
Possibility of hazardous rea	actions		
Conditions to avoid	: Avoid prolonged storage at elevated temperature.		
Materials to avoid	: Avoid contact with strong oxidizing agents.		
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.		
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.		
Other data	: No decomposition if stored and applied as directed.		
ECTION 11: Toxicological info	mation		
Marlex® 9512H Polyethylen Acute oral toxicity	e : Presumed Not Toxic		
Marlex® 9512H Polyethylen Acute inhalation toxicity	e : Presumed Not Toxic		
Marlex® 9512H Polyethylen Acute dermal toxicity	e : Presumed Not Toxic		
Marlex® 9512H Polyethylen Skin irritation	e : No skin irritation		
Marlex® 9512H Polyethylen Eye irritation	e : No eye irritation		
Marlex® 9512H Polyethylen Sensitization	e : Did not cause sensitization on laboratory animals.		
Marlex® 9512H Polyethylen Further information	<ul> <li>This product contains POLYMERIZED OLEFINS. During thermal processing (&gt;350°F, &gt;177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.</li> </ul>		

Version 3.3

#### SECTION 12: Ecological information

#### Ecotoxicity effects

Biodegradability: This material is not expected to be readily biodegradable.Elimination information (persistence and degradability)Bioaccumulation: Does not bioaccumulate.Mobility: The product is insoluble and floats on water.Additional ecological<br/>information: This material is not expected to be harmful to aquatic<br/>organisms., Fish or birds may eat pellets which may obstruct<br/>their digestive tracts.

#### **Ecotoxicology Assessment**

#### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

#### **SECTION 14: Transport information**

# The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

TRANSPORTATION BY THIS AGENCY.

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

SDS Number:10000000614

8/12

arlex® 9512H Polye	thylene
rsion 3.3	Revision Date 2019-10-
NOT REGULATED AS A	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR ' THIS AGENCY.
	<b>ANGEROUS GOODS BY ROAD (EUROPE))</b> A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR 7 THIS AGENCY.
DANGEROUS GOODS (EL	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
OF DANGEROUS GOODS	MENT CONCERNING THE INTERNATIONAL CARRIAGE BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
nsport in bulk according to	Annex II of MARPOL 73/78 and the IBC Code
CTION 15: Regulatory infor	mation
National legislation	
National legislation	
National legislation SARA 311/312 Hazards CERCLA Reportable	: Combustible dust : This material does not contain any components with a CERCLA
National legislation SARA 311/312 Hazards CERCLA Reportable Quantity SARA 302 Reportable	<ul> <li>Combustible dust</li> <li>This material does not contain any components with a CERCLA RQ.</li> <li>This material does not contain any components with a SARA</li> </ul>
National legislation SARA 311/312 Hazards CERCLA Reportable Quantity SARA 302 Reportable Quantity SARA 302 Threshold	<ul> <li>Combustible dust</li> <li>This material does not contain any components with a CERCLA RQ.</li> <li>This material does not contain any components with a SARA 302 RQ.</li> <li>No chemicals in this material are subject to the reporting</li> </ul>
National legislation SARA 311/312 Hazards CERCLA Reportable Quantity SARA 302 Reportable Quantity SARA 302 Threshold Planning Quantity SARA 304 Reportable	<ul> <li>Combustible dust</li> <li>This material does not contain any components with a CERCLA RQ.</li> <li>This material does not contain any components with a SARA 302 RQ.</li> <li>No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.</li> <li>This material does not contain any components with a section</li> </ul>

## Marlex® 9512H Polyethylene

Revision Date 2019-10-15

Clean	Air	Act	

Version 3.3

Ozone-Depletion : This product neither contains, nor was manufactured with a Class I or Potential Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **US State Regulations**

Pennsylvania Right To Know	: No components are subject to the Pennsylvania Right to Know Act.

California Prop. 65 : This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.

#### Notification status

Notification Status		
Europe REACH	:	On the inventory, or in compliance with the inventory
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA)	:	On or in compliance with the active portion of the
TSCA		TSCA inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance.
Philippines PICCS China IECSC Taiwan TCSI	: : :	On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory

SDS Number:10000000614

Version 3.3

Revision Date 2019-10-15

#### **SECTION 16: Other information**

NFPA Classification	: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0	
Further information		
Legacy SDS Number	: 240370	

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effe
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupatio Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentra
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substan
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovered
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average

# Marlex® 9512H Polyethylene

### Version 3.3

Revision Date 2019-10-15

		-	
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%		

SDS Number:10000000614