

Version 1.2 Revision Date 2020-10-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Propane Import

Use : Solvent, Odorant, Fuel

Company : Saudi Chevron Phillips Company

10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable gases, Category 1

Gases under pressure, Liquefied gas

Labeling

Symbol(s)





Signal Word : Danger

SDS Number:100000014878 1/15

Propane Import

Version 1.2 Revision Date 2020-10-21

Hazard Statements : H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

Precautionary Statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

Response:

P377 Leaking gas fire: Do not extinguish, unless leak can be

stopped safely.

P381 Eliminate all ignition sources if safe to do so.

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : Propane

Molecular formula : C3H8

Component	CAS-No.	Weight %
Propane	74-98-6	90
Propylene	115-07-1	10

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic

beverages. Never give anything by mouth to an unconscious

person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : -104°C (-155°F)

SDS Number:100000014878 2/15

Propane Import

Version 1.2 Revision Date 2020-10-21

estimated

Autoignition temperature : 468°C (874°F)

Suitable extinguishing

media

: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : For safety reasons in case of fire, cans should be stored

separately in closed containments. Use a water spray to cool

fully closed containers.

Fire and explosion

protection

: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Hazardous decomposition

products

: Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can

accumulate in low areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

SECTION 7: Handling and storage

Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms.

Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

SDS Number:100000014878 3/15

Version 1.2 Revision Date 2020-10-21

Storage

Requirements for storage areas and containers

: Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must

comply with the technological safety standards.

Use : Solvent, Odorant, Fuel

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note
Propane	OSHA Z-1	TWA	1,000 ppm, 1,800 mg/m3	
	OSHA Z-1-A	TWA	1,000 ppm, 1,800 mg/m3	
Propylene	ACGIH	TWA	500 ppm.	A4.

A4 Not classifiable as a human carcinogen

Immediately Dangerous to Life or Health Concentrations (IDLH)

Substance name	CAS-No.	Control parameters	Update
Propane	74-98-6	Immediately Dangerous to Life or Health Concentration Value 2100 parts per million	1995-03-01

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide

adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

SDS Number:100000014878 4/15

Propane Import

Version 1.2 Revision Date 2020-10-21

contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant antistatic protective clothing. Workers should wear antistatic

footwear.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Liquefied gas
Physical state : Gaseous
Color : Colorless

Odor : odorless (Repulsive if odorant has been added)

Odor Threshold : No data available

Safety data

Flash point : -104°C (-155°F)

estimated

Lower explosion limit : 2.1 %(V)

Upper explosion limit : 9.5 %(V)

Oxidizing properties : No

Autoignition temperature : 468°C (874°F)

Thermal decomposition : No data available

Molecular formula : C3H8

Molecular weight : 44.11 g/mol

pH : Not applicable

Pour point : No data available

Boiling point/boiling range : -42°C (-44°F)

Vapor pressure : 123.00 PSI

at 21°C (70°F)

Relative density : 0.51

at 16 °C (61 °F)

SDS Number:100000014878 5/15

Propane Import

Version 1.2 Revision Date 2020-10-21

Water solubility : negligible

Partition coefficient: n-

octanol/water

: Not applicable

Solubility in other solvents : No data available

Viscosity, kinematic : Not applicable

Relative vapor density : 1.5

(Air = 1.0)

Evaporation rate : > 1

Percent volatile : > 99 %

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Hazardous reactions: Hazardous polymerization does not

occur.

Further information: No decomposition if stored and applied as

directed.

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Thermal decomposition : No data available

Hazardous decomposition

products

: Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Propane Import

Acute oral toxicity : Negligible or unlikely exposure pathways

SDS Number:100000014878 6/15

Version 1.2 Revision Date 2020-10-21

Acute inhalation toxicity

Propane : LC50: > 800000 ppm

Exposure time: 15 min

Species: Rat

Test atmosphere: gas

Propylene LC50: > 86 mg/l

Exposure time: 4 h Species: Rat

Test atmosphere: gas Test substance: yes

Propane Import

Acute dermal toxicity : Negligible or unlikely exposure pathways

Propane Import

Skin irritation : Contact with liquid or refrigerated gas can cause cold burns

and frostbite.

Propane Import

Eye irritation : Contact with liquid or refrigerated gas can cause cold burns

and frostbite.

Propane Import

Sensitization : No data available.

Repeated dose toxicity

Propane : Species: Monkey

Application Route: Inhalation

Dose: 0, 750 ppm Exposure time: 90 day Number of exposures: daily

NOEL: > 750 ppm

Propylene Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation

Dose: 625,1250,2500,5000, 10000 ppm

Exposure time: 14 wk

Number of exposures: 6 Hr/d, 5 d/wk

NOEL: 10000 ppm

SDS Number:100000014878 7/15

Version 1.2 Revision Date 2020-10-21

Species: Mouse, Male and female

Sex: Male and female Application Route: Inhalation

Dose: 625,1250,2500,5000, 10000 ppm

Exposure time: 14 wk

Number of exposures: 6 Hr/d, 5 d/wk

NOEL: 10000 ppm

Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0, 5000, 10000 ppm Exposure time: 103 wk

Number of exposures: 6 Hr/d, 5 d/wk Lowest observable effect level: 5000 ppm

Not classified due to data which are conclusive although

insufficient for classification.

Species: Mouse, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0, 5000, 10000 ppm Exposure time: 103 wk

Number of exposures: 6 Hr/d, 5 d/wk Lowest observable effect level: 5000 ppm

Not classified due to data which are conclusive although

insufficient for classification.

Genotoxicity in vitro

Propane : Test Type: Ames test

Result: negative

Propylene Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mammalian cell gene mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Ambiguous

Genotoxicity in vivo

Propylene : Test Type: Micronucleus test

Species: Rat

Route of Application: inhalation (gas) Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Propylene : Species: Rat

Dose: 0, 5000, 10000 ppm Exposure time: 103 wks

Number of exposures: 6 h/d, 5 d/wk Remarks: No evidence of carcinogenicity

SDS Number:100000014878 8/15

Version 1.2 Revision Date 2020-10-21

Species: Mouse

Dose: 0, 5000, 10000 ppm Exposure time: 103 wks

Number of exposures: 6 h/d, 5 d/wk Remarks: No evidence of carcinogenicity

Reproductive toxicity

Propane : Species: Rat

Sex: male and female Application Route: Inhalation Dose: 0, 1200, 4000, 12000 ppm

Exposure time: 6 weeks

Number of exposures: 6 hours/day, 7 days/week

Test period: 6 weeks Test substance: yes

Method: OECD Guideline 422 NOAEL Parent: 12000 ppm NOAEL F1: 12000 ppm

Propylene Species: Rat

Sex: male and female Application Route: Inhalation Dose: 0, 5000, 10000 ppm

Number of exposures: 6 hrs/d, 5 d/wk

Test period: 103 wks NOAEL Parent: 10000 ppm

Species: Mouse Sex: male and female Application Route: Inhalation Dose: 0, 5000, 10000 ppm

Number of exposures: 6 hrs/d, 5 d/wk

Test period: 103 wks NOAEL Parent: 10000 ppm

Developmental Toxicity

Propylene : Species: Rat

Application Route: Inhalation Dose: 0, 200, 1000, 10000 ppm Number of exposures: 6 hrs/d

Test period: 14 d

Method: OECD Guideline 414 NOAEL Teratogenicity: 10000 ppm NOAEL Maternal: 10000 pmm

Propane Import

Aspiration toxicity : No aspiration toxicity classification.

CMR effects

Propane : Carcinogenicity: Weight of evidence does not support

classification as a carcinogen

Mutagenicity: In vitro tests did not show mutagenic effects Teratogenicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal

SDS Number:100000014878 9/15

Propane Import

Version 1.2 Revision Date 2020-10-21

experiments.

Reproductive toxicity: Weight of evidence does not support

classification for reproductive toxicity

Propylene Carcinogenicity: Animal testing did not show any carcinogenic

effects.

Mutagenicity: Tests on bacterial or mammalian cell cultures

did not show mutagenic effects.

Teratogenicity: Animal testing did not show any effects on

fetal development.

Reproductive toxicity: Animal testing did not show any effects

on fertility.

Propane Import

Further information : No data available.

SECTION 12: Ecological information

Ecotoxicity effects Toxicity to fish

Propylene : No data available

Biodegradability

Propane : This material is expected to be readily biodegradable.

Propylene : This material is not expected to be readily biodegradable.

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

Mobility : After release, disperses into the air.

Results of PBT assessment

Propane : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

Additional ecological

information

: No data available

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

This material is not expected to be harmful to aquatic

organisms.

Long-term (chronic) aquatic

hazard

This material is not expected to be harmful to aquatic

10/15

organisms.

SDS Number:100000014878

Propane Import

Version 1.2 Revision Date 2020-10-21

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1075, PETROLEUM GASES, LIQUEFIED, 2.1 NON- ODORIZED

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1075, PETROLEUM GASES, LIQUEFIED, 2.1, (-104°C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1075, PETROLEUM GASES, LIQUEFIED, 2.1

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1075, PETROLEUM GASES, LIQUEFIED, 2.1, (B/D)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN1075, PETROLEUM GASES, LIQUEFIED, 2.1

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1075, PETROLEUM GASES, LIQUEFIED, 2.1

SDS Number:100000014878 11/15

Version 1.2 Revision Date 2020-10-21

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Gases under pressure

EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO - KNOW

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313:

: Propylene - 115-07-1

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

: Propane - 74-98-6

SDS Number:100000014878 12/15

Version 1.2 Revision Date 2020-10-21

Propylene - 115-07-1

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

: Propylene - 115-07-1

US State Regulations

Pennsylvania Right To Know

: Propane - 74-98-6 Propylene - 115-07-1

California Prop. 65

Components

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : Not in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AICS : On the inventory, or in compliance with the inventory New Zealand NZIoC : On the inventory, or in compliance with the inventory Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : A substance(s) in this product was not registered,

notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.

Importation or manufacture of this product is still permitted provided the Korean Importer of Record has

themselves notified the substance.

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory


SDS Number:100000014878 13/15

Version 1.2 Revision Date 2020-10-21

SECTION 16: Other information

NFPA Classification : Health Hazard: 2

Fire Hazard: 4 Reactivity Hazard: 0



Further information

Legacy SDS Number : CPC00530

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect
	Substances		Level
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency
NDOL	List	NICOLI	N. C. II. C. I. O. C. I
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational
0110	Substances List	NITO	Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of
	-		Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		·
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery
			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

SDS Number:100000014878 14/15

Propane Import

Version 1.2 Revision Date 2020-10-21

	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%		

SDS Number:100000014878 15/15