



Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Dimethyl Disulfide
 Material : 1123753, 1121187, 1119676, 1093527, 1086484, 1095605,
 1095604, 1095602, 1097432, 1093526, 1095603, 1076483,
 1034521, 1035203, 1031147, 1032633, 1034638, 1031751,
 1036662, 1034642, 1031840, 1036791, 1036352, 1034364,
 1036792, 1036131, 1024538

Use : Chemical intermediate

Company : Chevron Phillips Chemical Company LP
 Specialty Chemicals
 10001 Six Pines Drive
 The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America)
 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
 Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Mexico CHEMTREC 01-800-681-9531 (24 hours)
 South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
 Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification



: Flammable liquids, Category 2
 Acute toxicity, Category 3, Oral

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

Acute toxicity, Category 3, Inhalation
 Eye irritation, Category 2A
 Skin sensitization, Category 1
 Specific target organ toxicity - single exposure, Category 1,
 Inhalation, Respiratory Tract
 Specific target organ toxicity - single exposure, Category 3,
 Central nervous system

Labeling

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H225: Highly flammable liquid and vapor.
 H301 + H331: Toxic if swallowed or if inhaled.
 H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.
 H336: May cause drowsiness or dizziness.
 H370: Causes damage to organs (Respiratory Tract) if inhaled.

Precautionary Statements

: **Prevention:**
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
 P233 Keep container tightly closed.
 P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves/ eye protection/ face protection.
Response:
 P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
 P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P403 + P235 Store in a well-ventilated place. Keep cool.

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

P405 Store locked up.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : DMDS,
Disulfide, dimethyl
Dimethyl disulfide,
Dimethyl disulphide,
(Methyldithio) methane
Methyl disulfide
CPCHEM Dimethyl Disulfide

Molecular formula : C₂H₆S₂

Component	CAS-No.	Weight %
Dimethyl Disulfide	624-92-0	99 - 100

SECTION 4: First aid measures

General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point : 15°C (59°F)
Method: closed cup

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

Autoignition temperature	:	No data available
Suitable extinguishing media	:	Alcohol-resistant foam. Carbon dioxide (CO ₂). Dry chemical.
Unsuitable extinguishing media	:	High volume water jet.
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Fire and explosion protection	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Hazardous decomposition products	:	Hydrogen Sulfide. Sulfur oxides.

SECTION 6: Accidental release measures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7: Handling and storage**Handling**

Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against
-------------------------	---	--

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Chemical intermediate

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****US**

Components	Basis	Value	Control parameters	Note
Dimethyl Disulfide	ACGIH	TWA	0.5 ppm,	Skin,

Skin Danger of cutaneous absorption

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Eye protection : Eye wash bottle with pure water.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Form : liquid
- Physical state : liquid
- Color : Yellow
- Odor : Mildly unpleasant

Safety data

- Flash point : 15°C (59°F)
Method: closed cup
- Lower explosion limit : 1.1 %(V)
- Upper explosion limit : 16 %(V)
- Oxidizing properties : No
- Autoignition temperature : No data available
- Molecular formula : C₂H₆S₂
- Molecular weight : 94.2 g/mol
- pH : No data available
- Pour point : No data available
- Boiling point/boiling range : 109°C (228°F)
- Vapor pressure : 28.60 MMHG
at 25°C (77°F)
- Relative density : 1.06
at 4 °C (39 °F)

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

Water solubility	: negligible
Partition coefficient: n-octanol/water	: Pow: 1.77
Viscosity, dynamic	: 0.62 mPa.s
Relative vapor density	: 3.25 (Air = 1.0)
Evaporation rate	: No data available
Percent volatile	: > 99 %

SECTION 10: Stability and reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions	
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur. Further information: No decomposition if stored and applied as directed. Hazardous reactions: Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Hazardous decomposition products	: Hydrogen Sulfide Sulfur oxides
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity	
Dimethyl Disulfide	: Acute toxicity estimate: 190 mg/kg Method: Expert judgment
Acute inhalation toxicity	
Dimethyl Disulfide	: LC50: 5.05 mg/l Exposure time: 4 h

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

Species: Rat
 Test atmosphere: vapor
 Method: OECD Test Guideline 403

**Dimethyl Disulfide
 Skin irritation** : May cause skin irritation and/or dermatitis.

**Dimethyl Disulfide
 Eye irritation** : May cause irreversible eye damage.

**Dimethyl Disulfide
 Sensitization** : Causes sensitization.

Genotoxicity in vitro

Dimethyl Disulfide : Test Type: Ames test
 Method: Mutagenicity (Escherichia coli - reverse mutation assay)
 Result: negative

Test Type: Chromosome aberration test in vitro
 Method: OECD Guideline 473
 Result: negative

Test Type: DNA damage and repair assay
 Result: negative

Test Type: HGPRT assay
 Method: OECD Guideline 476
 Result: negative

Genotoxicity in vivo

Dimethyl Disulfide : Test Type: Mouse micronucleus assay
 Result: negative

Aspiration toxicity

Dimethyl Disulfide : May be harmful if swallowed and enters airways.

CMR effects

Dimethyl Disulfide : Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Dimethyl Disulfide
 Further information** :

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.

SECTION 12: Ecological information**Toxicity to fish**

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

Dimethyl Disulfide : LC50: 0.97 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
static test

Toxicity to daphnia and other aquatic invertebrates

Dimethyl Disulfide : LC50: 1.82 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
semi-static test Method: OECD Test Guideline 202

Toxicity to algae

Dimethyl Disulfide : ErC50: 3.9 mg/l
Exposure time: 96 h
Species: Skeletonema costatum (Marine Algae)
static test Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity)

Dimethyl Disulfide : NOEC: 0.47 mg/l
Exposure time: 38 d
Species: Cyprinodon variegatus (sheepshead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

Dimethyl Disulfide : NOEC: 0.0025 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Biodegradability

Dimethyl Disulfide : aerobic
Result: Partially biodegradable.
50 - 60 %
Testing period: 28 d
Method: OECD Test Guideline 310
The 10 day time window criterion is not fulfilled.
Expected to be inherently biodegradable.

Bioaccumulation

Dimethyl Disulfide : This material is not expected to bioaccumulate.

Mobility

Dimethyl Disulfide : Groundwater contamination is unlikely.

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

Results of PBT assessment
Dimethyl Disulfide : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : Very toxic to aquatic life with long lasting effects.

Ecotoxicology Assessment

Short-term (acute) aquatic hazard
Dimethyl Disulfide : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard
Dimethyl Disulfide : Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2381, DIMETHYL DISULFIDE, 3 (6.1), II, MARINE POLLUTANT, (DIMETHYL DISULFIDE)

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2381, DIMETHYL DISULPHIDE, 3 (6.1), II, (15°C), MARINE POLLUTANT, (DIMETHYL DISULFIDE)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2381, NON: NOT PERMITTED FOR TRANSPORT

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2381, DIMETHYL DISULPHIDE, 3 (6.1), II, (D/E), ENVIRONMENTALLY HAZARDOUS, (DIMETHYL DISULFIDE)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN2381, DIMETHYL DISULPHIDE, 3 (6.1), II, ENVIRONMENTALLY HAZARDOUS, (DIMETHYL DISULFIDE)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2381, DIMETHYL DISULPHIDE, 3 (6.1), II, ENVIRONMENTALLY HAZARDOUS, (DIMETHYL DISULFIDE)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Serious eye damage or eye irritation Respiratory or skin sensitization Specific target organ toxicity (single or repeated exposure)
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold Planning Quantity	: This material does not contain any components with a section 302 EHS TPQ.
SARA 304 Reportable Quantity	: This material does not contain any components with a section 304 EHS RQ.

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know : Dimethyl Disulfide - 624-92-0
Methyl Mercaptan - 74-93-1

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

Europe REACH : On the inventory, or in compliance with the inventory
Switzerland CH INV : On the inventory, or in compliance with the inventory
United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory
Canada DSL : All components of this product are on the Canadian DSL
Australia AICS : On the inventory, or in compliance with the inventory
New Zealand NZIoC : On the inventory, or in compliance with the inventory
Japan ENCS : On the inventory, or in compliance with the inventory
Korea KECI : All substances in this product were registered, notified to be registered, or exempted from registration by

Dimethyl Disulfide

Version 5.0


Revision Date 2020-11-16

CPCHEM through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPCHEM's notifications or if the Importer of Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory
 China IECSC : On the inventory, or in compliance with the inventory
 Taiwan TCSI : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 2
 Fire Hazard: 3
 Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 96150

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic

Dimethyl Disulfide

Version 5.0

Revision Date 2020-11-16

	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		