

Version 1.21 Revision Date 2021-09-27

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : N-Octyl Mercaptan

Material : 1115893, 1086427, 1092079, 1089361, 1086426, 1021507,

1021501, 1021505, 1021503, 1021502, 1021508, 1021506, 1021504, 1024813, 1026777, 1036311, 1021509, 1035162,

1024812, 1033723

Company : Chevron Phillips Chemical Company LP

Specialty Chemicals 10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable liquids, Category 4 Skin sensitization, Category 1

SDS Number:100000013889 1/15

Version 1.21 Revision Date 2021-09-27

Labeling

Symbol(s) :

Signal Word : Warning

Hazard Statements : H227: Combustible liquid.

H317: May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing should not be allowed out

of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : 1-Octanethiol

normal-Octyl mercaptan

NOM NC8SH

Molecular formula : C8H18S

Component	CAS-No.	Weight %
n-Octyl Mercaptan	111-88-6	98.5 - 100

SDS Number:100000013889 2/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. If

symptoms persist, call a physician. Take victim immediately to

hospital.

SECTION 5: Firefighting measures

Flash point : 69-71°C (156-160°F) at 101.325 kPa

Method: EU Method A.9

Autoignition temperature : No data available

Suitable extinguishing

media

: Carbon dioxide (CO2).

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case

of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed

containers.

Fire and explosion

protection

: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

Hazardous decomposition

products

: Carbon oxides. Sulfur oxides.

SDS Number:100000013889 3/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable,

closed containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid

exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or

recurrent respiratory disease should not be employed in any

process in which this mixture is being used.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

Storage

Requirements for storage areas and containers

No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical

installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note
n-Octyl Mercaptan	NIOSH REL	С	0.5 ppm, 3 mg/m3	

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits.

SDS Number:100000013889 4/15

Version 1.21 Revision Date 2021-09-27

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant protective clothing. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear

protecting against chemicals.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : liquid
Physical state : liquid
Color : Colorless
Odor : Pungent

Safety data

Flash point : 69-71°C (156-160°F) at 101.325 kPa

Method: EU Method A.9

SDS Number:100000013889 5/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : No

Autoignition temperature : No data available

Molecular formula : C8H18S

Molecular weight : 146.32 g/mol

pH : Not applicable

Pour point : No data available

Boiling point/boiling range : 199°C (390°F)

Vapor pressure : 0.02 PSI

at 37.8°C (100.0°F)

Relative density : 0.85

at 16 °C (61 °F)

Water solubility : negligible

Partition coefficient: n-

octanol/water Viscosity, kinematic : No data available

: 1.04 mm2/s at 40°C (104°F)

Relative vapor density : 1

(Air = 1.0)

Evaporation rate : No data available

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerization does not

occur.

Further information: No decomposition if stored and applied as

directed.

SDS Number:100000013889 6/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Carbon oxides Sulfur oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

n-Octyl Mercaptan : LD50: 2,436 mg/kg

Species: Rat

Sex: male and female Method: Fixed Dose Method

Acute inhalation toxicity

n-Octyl Mercaptan : LC50: > 0.24 mg/l

> Exposure time: 4 h Species: Rat

Sex: male and female Test atmosphere: vapor

Method: OECD Test Guideline 403

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable

concentration.

Acute dermal toxicity

n-Octyl Mercaptan : LD50: > 1,680 mg/kg

Species: Rat

Sex: male and female

Method: OECD Test Guideline 402

Skin irritation

n-Octyl Mercaptan : slight irritation. largely based on animal evidence.

Eye irritation

n-Octyl Mercaptan : slight irritation. largely based on animal evidence.

Sensitization

n-Octyl Mercaptan : May cause sensitization by skin contact.

largely based on animal evidence.

Repeated dose toxicity

n-Octyl Mercaptan : Species: Rat, males

SDS Number:100000013889 7/15

Version 1.21 Revision Date 2021-09-27

Sex: males

Application Route: Oral Dose: 0, 10, 50, 250 mg/kg Exposure time: 35 D

Number of exposures: once daily

NOEL: 50 mg/kg

Method: OECD Guideline 422

Species: Rat, females

Sex: females

Application Route: Oral Dose: 0, 10, 50, 250 mg/kg Number of exposures: once daily

NOEL: 50 mg/kg

Method: OECD Guideline 422

Genotoxicity in vitro

n-Octyl Mercaptan : Test Type: Reverse mutation assay

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Sister chromatid exchange

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo

n-Octyl Mercaptan : Test Type: Micronucleus test

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative

Reproductive toxicity

n-Octyl Mercaptan : Species: Rat

Sex: male

Application Route: Oral diet Dose: 0, 10, 50, 250 mg/kg Exposure time: 35 D

Method: OECD Guideline 422 NOAEL Parent: 250 mg/kg

Number of exposures: once daily

NOAEL F1: 250 mg/kg

SDS Number:100000013889 8/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

Species: Rat Sex: female

Application Route: Oral diet Dose: 0, 10, 50, 250 mg/kg Number of exposures: once daily Method: OECD Guideline 422 NOAEL Parent: 50 mg/kg NOAEL F1: 250 mg/kg

Developmental Toxicity

n-Octyl Mercaptan : Species: Rat

Application Route: Oral diet Dose: 0, 10, 50, 250 mg/kg Number of exposures: once daily NOAEL Teratogenicity: 250 mg/kg

Aspiration toxicity

n-Octyl Mercaptan : May be harmful if swallowed and enters airways.

CMR effects

n-Octyl Mercaptan : Mutagenicity: Tests on bacterial or mammalian cell cultures

did not show mutagenic effects.

Teratogenicity: Animal testing did not show any effects on

fetal development.

Reproductive toxicity: Animal testing did not show any effects

on fertility.

N-Octyl Mercaptan

Further information : Solvents may degrease the skin.

SECTION 12: Ecological information

Toxicity to fish

n-Octyl Mercaptan : LC50: 0.326 mg/l

Exposure time: 96 h

Species: Oryzias latipes (Orange-red killifish) semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 203

Very toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

n-Octyl Mercaptan : 0.0243 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) Immobilization Analytical monitoring: yes Method: OECD Test Guideline 202 Very toxic to aquatic organisms.

Toxicity to algae

SDS Number:100000013889 9/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

n-Octyl Mercaptan : 0.039 mg/l

Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (microalgae)

semi-static test Analytical monitoring: yes Method: OECD Test Guideline 201

Very toxic to algae.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

n-Octyl Mercaptan : > 0.00467 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea) Toxic effects on fish and plankton

Biodegradability

n-Octyl Mercaptan : Result: Not readily biodegradable.

0 %

Testing period: 28 Days

Method: OECD Test Guideline 301

Information given is based on data obtained from similar

substances.

Bioaccumulation

n-Octyl Mercaptan : Bioconcentration factor (BCF): 11.83

Method: QSAR modeled data

Mobility

n-Octyl Mercaptan : Medium: Soil

Method: Calculation, Mackay Level III Fugacity Model

Content: 47.8 %

This product may float or sink in water.

: Medium: Water

Method: Calculation, Mackay Level III Fugacity Model

Content: 25 %

This product may float or sink in water.

Additional ecological

information

: Very toxic to aquatic life with long lasting effects.

Ecotoxicology Assessment

Short-term (acute) aquatic hazard

n-Octyl Mercaptan : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard

n-Octyl Mercaptan : Very toxic to aquatic life with long lasting effects.

SDS Number:100000013889 10/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NA1993, COMBUSTIBLE LIQUID, N.O.S., (N-OCTYL MERCAPTAN), III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-OCTYL MERCAPTAN), 9, III, (69-71°C), MARINE POLLUTANT, (N-OCTYL MERCAPTAN)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-OCTYL MERCAPTAN), 9, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-OCTYL MERCAPTAN), 9, III, (-)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-OCTYL MERCAPTAN), 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

SDS Number:100000013889 11/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-OCTYL MERCAPTAN), 9, III

Other information : n-Octyl Mercaptan, S.T. 1, Cat. X

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Respiratory or skin sensitization

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: This material does not contain any components with a section

302 EHS TPQ.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

SDS Number:100000013889 12/15

Version 1.21 Revision Date 2021-09-27

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

: n-Octyl Mercaptan - 111-88-6

Pennsylvania Right To Know

: n-Octyl Mercaptan - 111-88-6

New Jersey Right To Know

: n-Octyl Mercaptan - 111-88-6

California Prop. 65

Components

: This product does not contain any chemicals known to the State

of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : On the inventory, or in compliance with the inventory Switzerland CH INV : On the inventory, or in compliance with the inventory United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSI

Australia AICS : On the inventory, or in compliance with the inventory
New Zealand NZIoC : On the inventory, or in compliance with the inventory
Japan ENCS : On the inventory, or in compliance with the inventory
Korea KECI : All substances in this product were registered, notified

to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of

Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory


SDS Number:100000013889 13/15

Version 1.21 Revision Date 2021-09-27

SECTION 16: Other information

NFPA Classification : Health Hazard: 2

Fire Hazard: 2 Reactivity Hazard: 0



Further information

Legacy SDS Number : 76100

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act	

SDS Number:100000013889 14/15

N-Octyl Mercaptan

Version 1.21 Revision Date 2021-09-27

	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%		

SDS Number:100000013889 15/15