

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : E-Series® Catalyst  
 Material : 1108682, 1108006, 1106530, 1104405, 1076780, 1104142,  
 1092175, 1077170, 1078352, 1078354, 1098646, 1093052,  
 1078358, 1061165, 1078353, 1078359, 1092176, 1078361,  
 1078340, 1036631, 1017842, 1035484, 1016708, 1017939,  
 1031451, 1033973, 1033974, 1034361, 1036632, 1016707

Use : Chemical intermediate  
 Uses advised against : None known.

**Company** : Chevron Phillips Chemical Company LP  
 Specialty Chemicals  
 10001 Six Pines Drive  
 The Woodlands, TX 77380

**Emergency telephone:****Health:**

866.442.9628 (North America)  
 1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
 Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
 Mexico CHEMTREC 01-800-681-9531 (24 hours)  
 South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
 Argentina: +(54)-1159839431  
 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
 Belgium: 070 245 245 (24 hours/day, 7 days/week)  
 Bulgaria: +359 2 9154 233  
 Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
 Cyprus: 1401  
 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
 Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212  
 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Finland: 0800 147 111 09 471 977 (24 hours/day)  
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic  
 Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371  
 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24  
 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

|| This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

:

|| Not a hazardous substance or mixture.

**Labeling**

Not a hazardous substance or mixture.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : Selective Hydrogenation Catalyst  
 ARU Catalyst  
 Acetylene Removal Unit Catalyst  
 FE E-DC-3

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

FE E-DC-2  
 BE-1  
 BE-2  
 CPChem E Series  
 CPChem FE E-DC-3  
 Hydrogenation Catalyst

Molecular formula : Mixture

| Component      | CAS-No.   | Weight % |
|----------------|-----------|----------|
| Aluminum Oxide | 1344-28-1 | 99       |

**SECTION 4: First aid measures**

- General advice : No hazards which require special first aid measures.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water. Call a physician if irritation develops or persists.
- In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**SECTION 5: Firefighting measures**

- Flash point : Not applicable
- Autoignition temperature : No data available
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Fire and explosion protection : Provide appropriate exhaust ventilation at places where dust is formed.
- Hazardous decomposition : Metal Oxides.

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

products

**SECTION 6: Accidental release measures**

- Personal precautions : Avoid dust formation.
- Environmental precautions : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

**Storage**

- Requirements for storage areas and containers : Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Uses advised against : None known.
- Advice on common storage : No materials to be especially mentioned.
- Use : Chemical intermediate

**SECTION 8: Exposure controls/personal protection****Ingredients with workplace control parameters****US**

| Components     | Basis      | Value | Control parameters | Note                              |
|----------------|------------|-------|--------------------|-----------------------------------|
| Aluminum Oxide | OSHA Z-1   | TWA   | 15 mg/m3           | total dust                        |
|                | OSHA Z-1   | TWA   | 5 mg/m3            | respirable fraction               |
|                | OSHA Z-1-A | TWA   | 10 mg/m3           | Total dust                        |
|                | OSHA Z-1-A | TWA   | 5 mg/m3            | respirable dust fraction          |
|                | ACGIH      | TWA   | 1 mg/m3            | A4, Respirable particulate matter |

A4 Not classifiable as a human carcinogen

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

**Personal protective equipment**

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Safety glasses.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hygiene measures : General industrial hygiene practice.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : Pellets
- Physical state : solid
- Color : White to off-white
- Odor : No data available
- Odor Threshold : No data available

**Safety data**

- Flash point : Not applicable
- Lower explosion limit : Not applicable
- Upper explosion limit : Not applicable
- Flammability (solid, gas) :  
Oxidizing properties : No
- Autoignition temperature : No data available
- Thermal decomposition : No data available

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

|  |                     |
|--|---------------------|
| Molecular formula                      | : Mixture           |
| Molecular weight                       | : Not applicable    |
| pH                                     | : Not applicable    |
| Pour point                             | : Not applicable    |
| Boiling point/boiling range            | : Not applicable    |
| Vapor pressure                         | : Not applicable    |
| Relative density                       | : No data available |
| Density                                | : 70 - 80 LB/FT3    |
| Water solubility                       | : Insoluble         |
| Partition coefficient: n-octanol/water | : Not applicable    |
| Viscosity, kinematic                   | : Not applicable    |
| Relative vapor density                 | : Not applicable    |
| Evaporation rate                       | : Not applicable    |

**SECTION 10: Stability and reactivity**

|   |   |
|---|---|
| <b>Reactivity</b>                         | : Stable under recommended storage conditions.  |
| <b>Chemical stability</b>                 | : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.  |
| <b>Possibility of hazardous reactions</b> |   |
| <b>Hazardous reactions</b>                | : Hazardous reactions: Hazardous polymerization does not occur.<br><br>Hazardous reactions: Dust may form explosive mixture in air., Reacts violently with water.<br><br>Further information: Stable under recommended storage conditions., No hazards to be specially mentioned. |
| <b>Conditions to avoid</b>                | : No data available.  |
| <b>Thermal decomposition</b>              | : No data available   |
| <b>Hazardous decomposition products</b>   | : Metal Oxides  |

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information**

**E-Series® Catalyst  
Acute oral toxicity** : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**E-Series® Catalyst  
Acute inhalation toxicity** : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**E-Series® Catalyst  
Acute dermal toxicity** : No data available

**E-Series® Catalyst  
Skin irritation** : No skin irritation

**E-Series® Catalyst  
Eye irritation** : Product dust may be irritating to eyes, skin and respiratory system.

**E-Series® Catalyst  
Sensitization** : Did not cause sensitization on laboratory animals.  
Information refers to the main ingredient.

**Genotoxicity in vitro**

Aluminum Oxide : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

**E-Series® Catalyst  
Further information** : No data available.

**SECTION 12: Ecological information****Toxicity to fish**

Aluminum Oxide : NOEC: > 100 mg/l  
Exposure time: 96 h  
Species: Salmo salar (Atlantic salmon)  
Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

Aluminum Oxide : EC50: > 100 mg/l

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 Method: OECD Test Guideline 202

**Toxicity to algae**

Aluminum Oxide : NOEC: > 100 mg/l  
 Exposure time: 72 h  
 Species: Selenastrum capricornutum (algae)  
 Method: OECD Test Guideline 201

**Biodegradability**

Aluminum Oxide : The methods for determining biodegradability are not applicable to inorganic substances.

**Bioaccumulation**

Aluminum Oxide : This material is not expected to bioaccumulate.

**Mobility**

Aluminum Oxide : No data available

Additional ecological information : Toxic to aquatic life with long lasting effects.

**Ecotoxicology Assessment****Short-term (acute) aquatic hazard**

Aluminum Oxide : This material is not expected to be harmful to aquatic organisms.

**Long-term (chronic) aquatic hazard**

Aluminum Oxide : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil.



**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (SILVER OXIDE), 9, III, MARINE POLLUTANT, (SILVER OXIDE)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (SILVER OXIDE), 9, III

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (SILVER OXIDE), 9, III, (-)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

90, UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (SILVER OXIDE), 9, III

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (SILVER OXIDE), 9, III

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation**

**SARA 311/312 Hazards** : No SARA Hazards

**CERCLA Reportable** : This material does not contain any components with a CERCLA

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

Quantity

RQ.

SARA 302 Reportable  
Quantity: This material does not contain any components with a SARA  
302 RQ.SARA 302 Threshold  
Planning Quantity: This material does not contain any components with a section  
302 EHS TPQ.SARA 304 Reportable  
Quantity: This material does not contain any components with a section  
304 EHS RQ.

SARA 313 Components

: The following components are subject to reporting levels  
established by SARA Title III, Section 313:

: Aluminum Oxide - 1344-28-1

**Clean Air Act**Ozone-Depletion  
Potential: This product neither contains, nor was manufactured with a Class I or  
Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR  
82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**US State Regulations**

Pennsylvania Right To Know

: Aluminum Oxide - 1344-28-1

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**Notification status**

Europe REACH : A substance or substances in this product is not registered or notified to be registered. Importation or manufacture of this product is still permitted provided that it does not exceed the REACH minimum threshold quantity of the non-regulated substances.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Other AIIIC : On the inventory, or in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).


Philippines PICCS : On the inventory, or in compliance with the inventory

Taiwan TCSI : On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 0  
Fire Hazard: 0  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 659990

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

**E-Series® Catalyst**

Version 3.0

Revision Date 2022-06-08

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

| Key or legend to abbreviations and acronyms used in the safety data sheet |  |       |  |
|---|--|-------|--|
| ACGIH   | American Conference of Government Industrial Hygienists  | LD50  | Lethal Dose 50%  |
| AICS  | Australia, Inventory of Chemical Substances              | LOAEL | Lowest Observed Adverse Effect Level   |
| DSL   | Canada, Domestic Substances List                         | NFPA  | National Fire Protection Agency  |
| NDSL  | Canada, Non-Domestic Substances List                     | NIOSH | National Institute for Occupational Safety & Health                                  |
| CNS   | Central Nervous System                                   | NTP   | National Toxicology Program  |
| CAS   | Chemical Abstract Service                                | NZIoC | New Zealand Inventory of Chemicals   |
| EC50  | Effective Concentration                                  | NOAEL | No Observable Adverse Effect Level   |
| EC50  | Effective Concentration 50%                              | NOEC  | No Observed Effect Concentration   |
| EGEST   | EOSCA Generic Exposure Scenario Tool                     | OSHA  | Occupational Safety & Health Administration  |
| EOSCA   | European Oilfield Specialty Chemicals Association        | PEL   | Permissible Exposure Limit   |
| EINECS  | European Inventory of Existing Chemical Substances       | PICCS | Philippines Inventory of Commercial Chemical Substances                              |
| MAK   | Germany Maximum Concentration Values                     | PRNT  | Presumed Not Toxic   |
| GHS   | Globally Harmonized System                               | RCRA  | Resource Conservation Recovery Act   |
| >=  | Greater Than or Equal To                                 | STEL  | Short-term Exposure Limit  |
| IC50  | Inhibition Concentration 50%                             | SARA  | Superfund Amendments and Reauthorization Act.  |
| IARC  | International Agency for Research on Cancer              | TLV   | Threshold Limit Value  |
| IECSC   | Inventory of Existing Chemical Substances in China       | TWA   | Time Weighted Average  |
| ENCS  | Japan, Inventory of Existing and New Chemical Substances | TSCA  | Toxic Substance Control Act  |
| KECI  | Korea, Existing Chemical Inventory                       | UVCB  | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <=  | Less Than or Equal To                                    | WHMIS | Workplace Hazardous Materials Information System                                     |
| LC50  | Lethal Concentration 50%                                 |       |  |