

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

according to GB/T 16483 and GB/T 17519

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : Dimethyl Sulfide  
Material : 1127778, 1108785, 1073702, 1073703, 1073704, 1103885,  
1073705, 1077804, 1089246, 1101535, 1098710, 1084190,  
1028766, 1024530, 1024531, 1024532, 1024533, 1024534,  
1024535, 1024536

Use : Intermediate

Company : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
10001 Six Pines Drive  
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals (Shanghai) Corporation  
Room 1810-1812, Shanghai Mart,  
2299 Yan An Road (W),  
Shanghai, PRC 200336  
Tel: (86-21) 22157200

**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Gifflinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Finland: 0800 147 111 09 471 977 (24 hours/day)  
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
 Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic  
 Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371  
 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24  
 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

**GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2011)**

**Emergency Overview****Danger**

**Form:** liquid    **Physical state:** liquid    **Color:** Clear    **Odor:** Repulsive

**Hazards** : Highly flammable liquid and vapor. Causes eye irritation. May be harmful if swallowed and enters airways. Harmful to aquatic life.

**Classification**



: Flammable liquids, Category 2  
 Serious eye damage/eye irritation, Category 2B  
 Aspiration hazard, Category 2  
 Short-term (acute) aquatic hazard, Category 3

**Labeling**

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Symbol(s)	:	 
Signal Word	:	Danger
Hazard Statements	:	H225: Highly flammable liquid and vapor. H305: May be harmful if swallowed and enters airways. H320: Causes eye irritation. H402: Harmful to aquatic life.
Precautionary Statements	:	<b>Prevention:</b> P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P264: Wash skin thoroughly after handling. P273: Avoid release to the environment. P280: Wear protective gloves/ eye protection/ face protection. <b>Response:</b> P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331: Do NOT induce vomiting. P337 + P313: If eye irritation persists: Get medical advice/ attention. P370+P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. <b>Storage:</b> P403 + P235: Store in a well-ventilated place. Keep cool. <b>Disposal:</b> P501: Dispose of contents/ container to an approved waste disposal plant.

**SECTION 3: Composition/information on ingredients**

Synonyms	:	Dimethyl Sulfide Pure Methyl sulfide DMS Di-Methyl Sulfide
Molecular formula	:	C <sub>2</sub> H <sub>6</sub> S

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Chemical name	CAS-No. / EINECS-No.	Concentration [wt%]
Dimethyl Sulfide	75-18-3	99 - 100

**SECTION 4: First aid measures**

- General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**SECTION 5: Firefighting measures**

- Flash point : -37°C (-35°F) estimated
- Autoignition temperature : 220°C (428°F)
- Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical.
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Hazardous decomposition products : Carbon oxides. Sulfur oxides.

**SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

**Storage**

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Intermediate

**SECTION 8: Exposure controls/personal protection**

Not applicable

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : liquid  
 Physical state : liquid  
 Color : Clear  
 Odor : Repulsive

**Safety data**

- Flash point : -37°C (-35°F)  
 estimated
- Lower explosion limit : 2.2 %(V)

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Upper explosion limit	: 19.7 %(V)
Oxidizing properties	: yes
Autoignition temperature	: 220°C (428°F)
Molecular formula	: C <sub>2</sub> H <sub>6</sub> S
Molecular weight	: 62.14 g/mol
pH	: Not applicable
Pour point	: No data available
Boiling point/boiling range	: 37°C (99°F)
Vapor pressure	: 15.00 PSI at 38°C (100°F)
Relative density	: 0.85 at 15.6 °C (60.1 °F)
Water solubility	: 7,280 MG/L at 20°C (68°F)
Partition coefficient: n-octanol/water	: log Pow: 0.84 at 20°C (68°F)
Solubility in other solvents	: Medium: Water slightly soluble
Viscosity, kinematic	: 0.285 cSt at 20°C (68°F)
Relative vapor density	: 2.1 (Air = 1.0)
Evaporation rate	: No data available
Percent volatile	: > 99 %

**SECTION 10: Stability and reactivity**

<b>Reactivity</b>	: Stable under recommended storage conditions.
<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

- Hazardous reactions** : Hazardous reactions: Hazardous polymerization does not occur.  
Hazardous reactions: Vapors may form explosive mixture with air.
- Conditions to avoid** : Heat, flames and sparks.
- Materials to avoid** : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
- Hazardous decomposition products** : Carbon oxides  
Sulfur oxides
- Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Acute oral toxicity**

Dimethyl Sulfide : LD50: > 2,000 mg/kg  
Species: Rat  
Method: OECD Test Guideline 423

**Acute inhalation toxicity**

Dimethyl Sulfide : LC50: 102 mg/l  
Exposure time: 4 h  
Species: Rat  
Sex: male and female  
Test atmosphere: vapor  
Method: OECD Test Guideline 403

**Acute dermal toxicity**

Dimethyl Sulfide : LD50: > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Skin irritation**

Dimethyl Sulfide : No skin irritation

**Eye irritation**

Dimethyl Sulfide : May irritate eyes.

**Sensitization**

Dimethyl Sulfide : Did not cause sensitization on laboratory animals.

**Repeated dose toxicity**

Dimethyl Sulfide : Species: Rat, Male and female  
Sex: Male and female  
Application Route: Oral diet



**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Dose: 0, 2.5, 25, 250 mg/kg bw/day  
 Exposure time: 14 wk  
 Number of exposures: daily  
 NOEL: 250 mg/kg  
 Method: OECD Test Guideline 408  
 No adverse effects expected

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: inhalation (vapor)  
 Dose: 0, 0.310, 0.964, 2.783 mg/l  
 Exposure time: 13 wk (6 h)  
 Number of exposures: 7 d/wk  
 NOEL: 2.783 mg/l  
 Method: OECD Guideline 413  
 Information given is based on data obtained from similar substances.

**Genotoxicity in vitro**

Dimethyl Sulfide : Test Type: Ames test  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

Test Type: Mouse lymphoma assay  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Guideline 476  
 Result: negative

**Genotoxicity in vivo**

Dimethyl Sulfide : Test Type: In vivo micronucleus test  
 Species: Mouse  
 Cell type: Bone marrow  
 Route of Application: Oral  
 Dose: 1250, 2500, 5000 mg/kg  
 Method: OECD Test Guideline 474  
 Result: negative

**Developmental Toxicity**

Dimethyl Sulfide : Species: Rat  
 Application Route: oral gavage  
 Dose: 100, 500, 1000 mg/kg  
 Exposure time: GD 6 - 19  
 Number of exposures: daily  
 Test period: 20 d  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity: 1,000 mg/kg  
 NOAEL Maternal: 1,000 mg/kg

**Dimethyl Sulfide  
Aspiration toxicity**

: May be harmful if swallowed and enters airways.

**CMR effects**

Dimethyl Sulfide : Carcinogenicity: Not available

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects

Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**Dimethyl Sulfide****Further information**

: Solvents may degrease the skin.

**SECTION 12: Ecological information****Toxicity to fish**

Dimethyl Sulfide : LC50: 213 mg/l  
Exposure time: 96 h  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

Dimethyl Sulfide : EC50: 29 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
static test Method: OECD Test Guideline 202

**Toxicity to algae**

Dimethyl Sulfide : IC50: > 113.7 mg/l  
Exposure time: 72 h  
Species: Selenastrum capricornutum (algae)  
Method: OECD Test Guideline 201

**Biodegradability**

Dimethyl Sulfide : aerobic  
Result: Readily biodegradable.  
77 %  
Method: OECD Test Guideline 301

**Bioaccumulation**

Dimethyl Sulfide : No bioaccumulation is to be expected (log Pow <= 4).

**Mobility**

Dimethyl Sulfide : Method: Calculation, Mackay Level III Fugacity Model  
The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

Results of PBT assessment  
Dimethyl Sulfide : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : Harmful to aquatic life.

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard  
Dimethyl Sulfide : Harmful to aquatic life.

Long-term (chronic) aquatic hazard  
Dimethyl Sulfide : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN1164, DIMETHYL SULFIDE, 3, II

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN1164, DIMETHYL SULPHIDE, 3, II, (-37 °C c.c.)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN1164, DIMETHYL SULPHIDE, 3, II

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN1164, DIMETHYL SULPHIDE, 3, II, (D/E)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

33,UN1164,DIMETHYL SULPHIDE, 3, II

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN1164, DIMETHYL SULPHIDE, 3, II

**Maritime transport in bulk according to IMO instruments****SECTION 15: Regulatory information**

Classification and Labeling of Commonly Used Dangerous Chemical Substances : Primary label: Combustible Liquid.

**Notification status**

Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Other AIIC	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

**Other regulations** : Law on the Prevention and Control of Occupational Diseases

**Dimethyl Sulfide**

Version 1.4

Revision Date 2022-07-14

**SECTION 16: Other information****Further information**

Legacy SDS Number : 61250

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		