



Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Crude Hydrogen
Material : 1015516

Company : Chevron Phillips Chemical Company LP
10001 Six Pines Drive
The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
Mexico CHEMTREC 01-800-681-9531 (24 hours)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)
Belgium: 070 245 245 (24 hours/day, 7 days/week)
Bulgaria: +359 2 9154 233
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)
Cyprus: 1401
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402
Denmark: Danish Poison Center (Gifftlinjen): +45 8212 1212
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Finland: 0800 147 111 09 471 977 (24 hours/day)
France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)
Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Greece: (0030) 2107793777 (24 hours/day, 7 days/week)
Hungary: +36-80-201-199 (24 hours/day, 7 days/week)
Iceland: 543 2222 (24 hours/day, 7 days/week)
Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic
Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371
67042473. (24 hours.)
Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Lithuania: +370 (85) 2362052

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)
 Malta: +356 2395 2000
 The Netherlands: NVIC: +31 (0)88 755 8000
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Portugal: CIAV phone number: +351 800 250 250
 Romania: +40213183606
 Slovakia: +421 2 5477 4166
 Slovenia: Phone number: 112
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable gases, Category 1
 Gases under pressure, Compressed gas
 Simple Asphyxiant

Labeling

Symbol(s) :



Signal Word : Danger

Hazard Statements : H220: Extremely flammable gas.
 H280: Contains gas under pressure; may explode if heated.
 May displace oxygen and cause rapid suffocation.

Precautionary Statements : **Prevention:**
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Response:
 P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
 P381 Eliminate all ignition sources if safe to do so.
Storage:
 P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

NTP

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : None established

Molecular formula : UVCB

Component	CAS-No.	Weight %
Fuel Gas	68476-26-6	100
Hydrogen	1333-74-0	0 - 70
Ethylene	74-85-1	0 - 12
Methane	74-82-8	0 - 68
Ethane	74-84-0	0 - 3

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : No data available

Autoignition temperature : 585°C (1,085°F)

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable extinguishing media : High volume water jet.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : For safety reasons in case of fire, cans should be stored

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

- separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
- Hazardous decomposition products : No data available.

SECTION 6: Accidental release measures

- Personal precautions : Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Storage

- Requirements for storage areas and containers : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****US**

Components	Basis	Value	Control parameters	Note
Ethylene	ACGIH	TWA	200 ppm,	A4,
A4 Not classifiable as a human carcinogen				

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Safety glasses.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.
- Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Form : Compressed gas
 Physical state : Gaseous
 Color : Colorless
 Odor : Odorless

Safety data

- Flash point : No data available

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Lower explosion limit	: 4 %(V)
Upper explosion limit	: 75 %(V)
Oxidizing properties	: No
Autoignition temperature	: 585°C (1,085°F)
Molecular formula	: UVCB
Molecular weight	: Not applicable
pH	: Not applicable
Freezing point	: No data available
Pour point	Not applicable
Boiling point/boiling range	: -253°C (-423°F)
Vapor pressure	: No data available
Density	: 0.0052 LB/FT3 at (760.00 MMHG)
Water solubility	: partly soluble
Partition coefficient: n-octanol/water	: No data available
Viscosity, dynamic	: 0.013 cP
Relative vapor density	: 0.5 (Air = 1.0)
Evaporation rate	: Not applicable

SECTION 10: Stability and reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions	
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur. Hazardous reactions: Vapors may form explosive mixture with

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

air.

- Conditions to avoid** : Heat, flames and sparks.
- Materials to avoid** : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
- Hazardous decomposition products** : No data available
- Other data** : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

- Crude Hydrogen**
Acute oral toxicity : No data available
Negligible or unlikely exposure pathways
- Crude Hydrogen**
Acute inhalation toxicity : No data available
- Crude Hydrogen**
Acute dermal toxicity : Negligible or unlikely exposure pathways
- Crude Hydrogen**
Skin irritation : No skin irritation
- Crude Hydrogen**
Eye irritation : No eye irritation
- Crude Hydrogen**
Sensitization : No adverse effects expected.
- Crude Hydrogen**
Repeated dose toxicity : This information is not available.
- Genotoxicity in vitro**
- Ethylene : Test Type: Ames test
Test system: TA100
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
- Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
- Genotoxicity in vivo**
- Ethylene : Test Type: Micronucleus test

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Species: Rat
 Route of Application: inhalation (gas)
 Exposure time: 5 days and 13 weeks
 Dose: 10000 ppm
 Result: negative

Test Type: Micronucleus test
 Species: Rat
 Route of Application: inhalation (gas)
 Exposure time: 4 weeks
 Dose: 40, 1000, 3000 ppm
 Method: OECD Test Guideline 474
 Result: negative

Carcinogenicity

Ethylene : Species: Rat
 Dose: 0. 300, 1000, 3000 ppm
 Exposure time: 2 yrs
 Number of exposures: 6 h/d, 5 d/wk
 Remarks: no increase incidence of tumors

Reproductive toxicity

Ethylene : Species: Rat
 Application Route: Inhalation
 Dose: 0. 200, 1000, 5000 ppm
 Number of exposures: 6 h/d
 NOAEL Parent: 5000 ppm
 NOAEL F1: 5000 ppm
 no abnormalities observed

Ethane : Species: Rat
 Sex: male and female
 Application Route: Inhalation
 Dose: 0, 1600, 5000, 16000 ppm
 Exposure time: 6 weeks
 Number of exposures: 6 hours/day, 7 days/week
 Test period: 6 weeks
 Test substance: yes
 Method: OECD Guideline 422
 NOAEL Parent: 16000 ppm
 NOAEL F1: 16000 ppm
 no abnormalities observed

Developmental Toxicity

Ethylene : Species: Rat
 Application Route: Inhalation
 Dose: 0. 200, 1000, 5000 ppm
 Number of exposures: 6 h/d
 NOAEL Teratogenicity: 5000 ppm
 NOAEL Maternal: 5000 ppm
 No toxicity to reproduction
 Animal testing did not show any effects on fertility.

CMR effects

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Ethane : Carcinogenicity: Weight of evidence does not support classification as a carcinogen
 Mutagenicity: In vitro tests did not show mutagenic effects
 Teratogenicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
 Reproductive toxicity: Weight of evidence does not support classification for reproductive toxicity

Crude Hydrogen
Further information : No data available.

SECTION 12: Ecological information**Ecotoxicity effects**

Biodegradability : Not applicable

Elimination information (persistence and degradability)

Bioaccumulation

Ethylene : Bioaccumulation is unlikely.

Ethane : This material is not expected to bioaccumulate.

Mobility : No data available

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional ecological information : No data available

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

- Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2034, HYDROGEN AND METHANE MIXTURES, COMPRESSED, 2.1

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2034, HYDROGEN AND METHANE MIXTURE, COMPRESSED, 2.1

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2034, HYDROGEN AND METHANE MIXTURE, COMPRESSED, 2.1

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2034, HYDROGEN AND METHANE MIXTURE, COMPRESSED, 2.1, (B/D)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

23,UN2034,HYDROGEN AND METHANE MIXTURE, COMPRESSED, 2.1

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2034, HYDROGEN AND METHANE MIXTURE, COMPRESSED, 2.1

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information**National legislation**

- SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)
Gases under pressure

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Simple Asphyxiant

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Components : The following components are subject to reporting levels established by SARA Title III, Section 313:

: Ethylene - 74-85-1

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

: Hydrogen - 1333-74-0
 Methane - 74-82-8
 Ethylene - 74-85-1
 Ethane - 74-84-0

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

: Ethylene - 74-85-1

US State Regulations

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Pennsylvania Right To Know

: Fuel Gas - 68476-26-6
 Hydrogen - 1333-74-0
 Methane - 74-82-8
 Ethylene - 74-85-1
 Ethane - 74-84-0
 Nitrogen - 7727-37-9
 Carbon Monoxide - 630-08-0

California Prop. 65 Components

: **WARNING:** This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Carbon Monoxide


630-08-0

Notification status

Europe REACH : Not applicable
 Switzerland CH INV : Not applicable
 United States of America (USA) TSCA : Exemptions from the obligation to register On or in compliance with the active portion of the TSCA inventory
 Canada DSL : Not applicable
 Other AIC : Not applicable
 New Zealand NZIoC : Not applicable
 Japan ENCS : Not applicable
 Korea KECI : Not applicable
 Philippines PICCS : Not applicable
 Taiwan TCSI : Not applicable
 China IECSC : Not applicable

SECTION 16: Other information

NFPA Classification : Health Hazard: 0
 Fire Hazard: 4
 Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 5860

Crude Hydrogen

Version 2.3

Revision Date 2022-08-12

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		