

Version 1.5 Revision Date 2022-09-22

according to GB/T 16483 and GB/T 17519

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : AlphaPlus® C26-28

Material : 1061434, 1037070, 1037069

Company : Chevron Phillips Chemical Company LP

Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

SDS Number:100000013083 1/10

Version 1.5 Revision Date 2022-09-22

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2011)

Emergency Overview

Form: Wax., solid Physical state: solid Color: White

Classification

Not a hazardous substance or mixture.

Labeling

Not a hazardous substance or mixture.

SECTION 3: Composition/information on ingredients

Synonyms : NAO 26-28

C26-28 (even numbered) a-alkenes (EU)

Reaction mass of 1-hexacosene and 1-octacosene (EU)

Molecular formula : Mixture

Contains no hazardous ingredients according to GHS.

SECTION 4: First aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well

with water. If on clothes, remove clothes,

SDS Number:100000013083 2/10

AlphaPlus® C26-28

Version 1.5 Revision Date 2022-09-22

In case of eye contact Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point 204°C (399°F)

Method: PMCC

Autoignition temperature 346°C (655°F)

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Standard procedure for chemical fires.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Provide appropriate exhaust ventilation at places where dust is

formed.

Hazardous decomposition

products

: Carbon Dioxide. Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions Use personal protective equipment. Avoid dust formation.

Avoid breathing dust.

Environmental precautions Prevent further leakage or spillage if safe to do so. If the

product contaminates rivers and lakes or drains inform

respective authorities.

Methods for cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see

> section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance

with local and national regulations.

Provide appropriate exhaust ventilation at places where dust is Advice on protection

SDS Number:100000013083 3/10

AlphaPlus® C26-28

Version 1.5 Revision Date 2022-09-22

against fire and explosion formed.

Storage

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the

technological safety standards.

SECTION 8: Exposure controls/personal protection

Not applicable

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection If ventilation or other engineering controls are not adequate to

> maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Organic Vapors, Dusts and Mists. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where airpurifying respirators may not provide adequate protection.

Hand protection The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there

is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Choose body protection in relation to its type, to the

> concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Lightweight

protective clothing. Safety shoes.

When using do not eat or drink. When using do not smoke. Hygiene measures

Wash hands before breaks and at the end of workday.

SDS Number:100000013083 4/10

Version 1.5 Revision Date 2022-09-22

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Wax., solid Physical state : solid Color : White

Safety data

Flash point : 204°C (399°F)

Method: PMCC

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : no

Autoignition temperature : 346°C (655°F)

Molecular formula : Mixture

Molecular weight : Varies

pH : No data available

Melting point/range : 51.7°C (125.1°F)

Method: ASTM D-127

Boiling point/boiling range : 330°C (626°F)

Vapor pressure : Not applicable

Relative density : 0.8

Water solubility : Soluble in hydrocarbon solvents; insoluble in water.

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : 3.27 cSt

at 99°C (210°F)

Relative vapor density : Not applicable

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

Reactivity : Stable at normal ambient temperature and pressure.

SDS Number:100000013083 5/10

AlphaPlus® C26-28

Version 1.5 Revision Date 2022-09-22

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions: Further information: Stable under recommended storage

conditions., No hazards to be specially mentioned.

Conditions to avoid : No data available.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Carbon Dioxide Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

AlphaPlus® C26-28

Acute oral toxicity : LD50: > 5,000 mg/kg

Species: Rat

Information given is based on data obtained from similar

substances.

AlphaPlus® C26-28

Acute inhalation toxicity : Presumed Not Toxic

Information given is based on data obtained from similar

substances.

AlphaPlus® C26-28

Acute dermal toxicity : LD50: > 2,000 mg/kg

Information given is based on data obtained from similar

substances.

AlphaPlus® C26-28

Skin irritation: No skin irritation. Information given is based on data obtained

from similar substances.

AlphaPlus® C26-28

Eye irritation : No eye irritation. Information given is based on data obtained

from similar substances.

AlphaPlus® C26-28

Sensitization : No adverse effects expected. Based on data from similar

materials.

AlphaPlus® C26-28

Aspiration toxicity : No aspiration toxicity classification.

AlphaPlus® C26-28

SDS Number:100000013083 6/10

AlphaPlus® C26-28

Version 1.5 Revision Date 2022-09-22

Further information : No data available.

SECTION 12: Ecological information

Ecotoxicity effects

Toxicity to fish : This material is not expected to be harmful to aquatic

organisms.

Toxicity to daphnia and other aquatic invertebrates

: This material is not expected to be harmful to aquatic

organisms.

Toxicity to algae : This material is not expected to be harmful to aquatic

organisms.

Biodegradability : This material is not expected to be readily biodegradable.

Elimination information (persistence and degradability)

Mobility : No data available

Results of PBT assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Additional ecological

information

: This material is not expected to be harmful to aquatic organisms., Information given is based on data on the

ingredients and the ecotoxicology of similar products.

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: This material is not expected to be harmful to aquatic

organisms.

Long-term (chronic) aquatic

hazard

: This material is not expected to be harmful to aquatic

organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

SDS Number:100000013083 7/10

AlphaPlus® C26-28

Version 1.5 Revision Date 2022-09-22

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28), 9, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) , 9, III (204° C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, 9: NOT PERMITTED FOR TRANSPORT

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28), 9, III, (D)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF

SDS Number:100000013083 8/10

Version 1.5 Revision Date 2022-09-22

DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28), 9. III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) , 9, III

Other information : OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

Notification status

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSI

Other AIIC : Not in compliance with the inventory

New Zealand NZIoC : Not in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : A substance(s) in this product was not registered,

notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

Philippines PICCS : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

SDS Number:100000013083 9/10

AlphaPlus® C26-28

Version 1.5 Revision Date 2022-09-22

SECTION 16: Other information

Further information

Legacy SDS Number : 7965

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:100000013083 10/10