



## Synfluid® PAO 8 cSt

Version 1.20

Revision Date 2023-04-03

MSDS number: AA00974-0000000107

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name : Synfluid® PAO 8 cSt  
 Material : 1111743, 1111742, 1111735, 1079836, 1079942, 1079666

Recommended use of the product : Synthetic Lubricants  
 Restrictions on use : None known.

**Address** : Chevron Phillips Chemical Company LP  
 10001 Six Pines Drive  
 The Woodlands, TX 77380

Address : CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.  
 C/O DONG WOO CORPORATION  
 #B-2601,JEONGJAIL-RO,  
 BUNDANG-GU,SEONGNAMI-SI,  
 GYEONGGI-DO,13557  
 SOUTH KOREA  
 Telephone no.: +612-9186-1132

#### Emergency telephone:

##### Health:

866.442.9628 (North America)  
 1.832.813.4984 (International)

##### Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
 Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
 Mexico CHEMTREC 01-800-681-9531 (24 hours)  
 South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
 Argentina: +(54)-1159839431  
 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
 Belgium: 070 245 245 (24 hours/day, 7 days/week)  
 Bulgaria: +359 2 9154 233

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
 Cyprus: 1401  
 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
 Denmark: Danish Poison Center (Gifftlinjen): +45 8212 1212  
 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Finland: 0800 147 111 09 471 977 (24 hours/day)  
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
 Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic  
 Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371  
 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24  
 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com  
 Appointees : 회사명: 리이치 24 시코리아(주).

주소: 서울시 서초구 현릉로 7,  
 외국기업창업지원연구센터  
 (IKP) 908-909호  
 전화: + 82-1067838981

**SECTION 2: Hazards identification****Hazard classification**

**Standards for classification and labeling of chemical substances and material safety data sheet  
 (ministry of employment and labor public notice No. 2020-130)**

**Classification**

Number:100000062776

2/15

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Not applicable

**Warning label elements including precautionary statements**

Symbol(s) :  
Signal Word : Not applicable

Hazard Statements : Not applicable

Precautionary Statements : Not applicable

Other hazards which do not result in classification : None

**SECTION 3: Composition/information on ingredients**

Synonyms : Polyalphaolefin  
PAO

Molecular formula : UVCB

Common name	Synonyms	CAS-No.	Concentration	KECI Number
1-Decene Homopolymer Hydrogenated	Dec-1-ene, oligomers, hydrogenated	68037-01-4	100%	KE-09505

**SECTION 4: First aid measures**

General advice : No hazards which require special first aid measures.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

**Other cautions for Doctors**

Symptoms	:	No information available.
Risks	:	No information available.
Treatment	:	No information available.

**SECTION 5: Firefighting measures**

Flash point	:	239-258°C (462-496°F) Method: ASTM D-92
Autoignition temperature	:	369°C (696°F)
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during fire fighting	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and explosion protection	:	Normal measures for preventive fire protection.
Hazardous decomposition products	:	Carbon oxides.

**SECTION 6: Accidental release measures**

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	:	No special environmental precautions required.
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

Number:100000062776

4/15

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Secure storage**

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : None known.

Advice on common storage : No materials to be especially mentioned.

Specific Use : Synthetic Lubricants

**SECTION 8: Exposure controls/personal protection****Chemical exposure standards, biological exposure standards, etc.**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection according to the amount and concentration of the substance and the task performed at the work place. Appropriate PPE may include: Lightweight protective clothing.

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Hygiene measures : General industrial hygiene practice.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties**

Appearance

Physical state : liquid  
 Color : Clear, Colorless  
 Odor : Odorless  
 Odor Threshold : No data available

pH : Not applicable

Pour point : No data available

Melting point/freezing point : Not applicable

Boiling point/boiling range : 430°C (806°F)

Flash point : 239-258°C (462-496°F)  
Method: ASTM D-92Evaporation rate : 3  
Method: ASTM D5800

Flammability (solid, gas) : No data available

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Vapor pressure : 0.10 MMHG  
at 232°C (450°F)

Solubility : Soluble in hydrocarbon solvents; insoluble in water.

Relative density : 0.83  
at 15.6 °C (60.1 °F)Vapor density : 10  
(Air = 1.0)Partition coefficient: n-  
octanol/water : No data available

Autoignition temperature : 369°C (696°F)

Decomposition temperature : No data available

Viscosity, kinematic : 46 cSt

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

at 40°C (104°F)

Molecular weight : Varies

**SECTION 10: Stability and reactivity**

**Reactivity** : Stable at normal ambient temperature and pressure.

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Possibility of hazardous reactions**

**Hazardous reactions** : Further information: Stable under recommended storage conditions., No hazards to be specially mentioned.

**Conditions to avoid** : No data available.

**Materials to avoid** : No data available.

**Thermal decomposition** : No data available

**Hazardous decomposition products** : Carbon oxides

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Information on exposure routes****Acute oral toxicity**

1-Decene Homopolymer Hydrogenated : LD50 Oral: > 5,000 mg/kg  
Species: Rat

**Acute inhalation toxicity**

1-Decene Homopolymer Hydrogenated : LC50: > 5.2 mg/l  
Exposure time: 4 h  
Species: Rat  
Test atmosphere: dust/mist

**Acute dermal toxicity**

1-Decene Homopolymer : LD50: > 2,000 mg/kg

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Hydrogenated

Species: Rabbit

**Synfluid® PAO 8 cSt****Skin corrosion or irritation** : No skin irritation.**Synfluid® PAO 8 cSt****Eye corrosion or irritation** : No eye irritation.**Synfluid® PAO 8 cSt****Respiratory Sensitization** : No data available**Synfluid® PAO 8 cSt****Skin sensitization** Did not cause sensitization on laboratory animals.**Carcinogenicity**

1-Decene Homopolymer Hydrogenated : Remarks: This information is not available.

**Repeated dose toxicity**1-Decene Homopolymer Hydrogenated : Species: Rat  
Application Route: Oral  
Dose: 0, 8000, 20000, 50000 ppm  
Exposure time: 28 day  
Number of exposures: daily  
NOEL: 6,245 mg/kg  
Method: OECD Test Guideline 407Species: Rat  
Application Route: oral gavage  
Dose: 0, 1000, 7000, 50000 ppm  
Exposure time: 13 weeks  
Number of exposures: daily  
NOEL: 4,159.4 mg/kg  
Method: OCED Guideline 408**Germ cell mutagenicity (in vitro)**

1-Decene Homopolymer Hydrogenated : Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.

**Germ cell mutagenicity (in vivo)**

1-Decene Homopolymer Hydrogenated : Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.

**Developmental Toxicity**



**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

1-Decene Homopolymer Hydrogenated : Animal testing did not show any effects on fetal development. Information given is based on data obtained from similar substances.

**Specific Target Organ Toxicity (Single Exposure)**

Not classified due to data which are conclusive although insufficient for classification.

**Specific Target Organ Toxicity (Repeated Exposure)**

Not classified due to data which are conclusive although insufficient for classification.

**Aspiration toxicity**

1-Decene Homopolymer Hydrogenated : No aspiration toxicity classification.

**CMR effects**

1-Decene Homopolymer Hydrogenated : Carcinogenicity: Not classifiable as a human carcinogen.  
Mutagenicity: Animal testing did not show any mutagenic effects.  
Teratogenicity: no developmental effects  
Reproductive toxicity: No toxicity to reproduction

**Reproductive toxicity**

1-Decene Homopolymer Hydrogenated : Species: Rat  
Sex: male and female  
Application Route: oral gavage  
Dose: 0, 100, 500, 1000 mg/kg  
Number of exposures: daily  
Test period: 10 weeks  
Method: OECD Test Guideline 415  
NOAEL Parent: 1,000 mg/kg

**Synfluid® PAO 8 cSt Further information** : No data available.

**SECTION 12: Ecological information**

Ecological Toxicity

**Toxicity to fish**

Number:100000062776

9/15

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

1-Decene Homopolymer Hydrogenated : LL50: > 1,000 mg/l  
Exposure time: 96 h  
Species: Oncorhynchus mykiss (rainbow trout)

**Toxicity to daphnia and other aquatic invertebrates** : No data available

**Toxicity to algae**

1-Decene Homopolymer Hydrogenated : NOELR: 1,000 mg/l  
Exposure time: 72 h  
Species: Scenedesmus capricornutum (fresh water algae)  
static test Method: OECD Test Guideline 201

**Persistence and degradability** Persistence and degradability : Result: No data available

**Bioaccumulative**

1-Decene Homopolymer Hydrogenated : This material is not expected to bioaccumulate.

**Mobility** : No data available

Results of PBT assessment  
1-Decene Homopolymer Hydrogenated : Non-classified PBT substance, Non-classified vPvB substance  
Other adverse effects : No data available

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Disposal precaution : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

UN Number	:	not regulated
UN Product Shipping Name	:	Not regulated as a dangerous good
Hazard Class	:	
Packing Group	:	Not applicable
Marine Pollutant	:	Not applicable
Special Safety Measures on Mode of Transport	:	No data available

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

<b>Other information</b>	:	<b>Not applicable</b>
--------------------------	---	-----------------------

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation****Regulation under the Occupational Safety and Health Act**

A Material Safety Datasheet (MSDS) for this product is not required according to article 41 of the ISHA.

Regulation	Chemical name	Threshold limits
Harmful Substances Prohibited from Manufacturing	:	Not applicable
		Not applicable
Harmful Substances Required Permission for Manufacture	:	Not applicable
		Not applicable

**Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act**

Regulation	Chemical name	Threshold limits
Toxic Chemicals	:	Not applicable
		Not applicable

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

Prohibited Chemicals	:	Not applicable
	:	Not applicable
Restricted Chemicals	:	Not applicable
	:	Not applicable
Toxic Release Inventory	:	Not applicable
	:	Not applicable

**Dangerous Substances Safety Management Act**

Dangerous Substances : Not Applicable to Dangerous Materials

Safety Management Act

Not Applicable to Dangerous Materials

**Regulations by the Waste Management Act** : Not applicable

**Regulations by other domestic and foreign laws**

Europe REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AIIC : On the inventory, or in compliance with the inventory

New Zealand NZIoC : On the inventory, or in compliance with the inventory  
Notification number: HSR002606

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory

Taiwan TCSI : On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

**Synfluid® PAO 8 cSt**


Version 1.20

Revision Date 2023-04-03

**SECTION 16: Other information**

Source of data	:	
Date of initial writing	:	2020-09-08
Revision number	:	1
Last revision date	:	2023-04-03

**NFPA Classification** : Health Hazard: 0  
Fire Hazard: 1  
Reactivity Hazard: 0

**Other information**

None.

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level

**Synfluid® PAO 8 cSt**

Version 1.20

Revision Date 2023-04-03

EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate