### SAFETY DATA SHEET



# n-Dodecyl Mercaptan

Version 4.19

Revision Date 2023-05-19

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

#### **Product information**

Product Name Material	<ul> <li>n-Dodecyl Mercaptan</li> <li>1126864, 1124172, 1122303, 1111421, 1086421, 1071323, 1086420, 1086419, 1021569, 1024819, 1024820, 1021558, 1021567, 1021568, 1021571, 1021572, 1021573, 1021574,</li> </ul>
	1021575, 1033862, 1032614, 1021566, 1021570

### **EC-No.Registration number**

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
n-Dodecyl Mercaptan	112-55-0 203-984-1	Chevron Phillips Chemicals International NV 01-2119491318-31-0000

1.2	Relevant identified uses of the	e substance or mixture and uses advised against
	Relevant Identified Uses : Supported	Intermediate: The substance is registered as a Transported Isolated Intermediate with Strictly Controlled Conditions (SCC) defined in Article 18(4) of Regulation EC No. 1907/2006 and must therefore be handled as such. The substance has been registered as Normal Substance for the use as Intermediate under non-Strictly controlled conditions (Maximum tonnage 10mt/y)
1.3	Details of the supplier of the s	afety data sheet
	Company :	Chevron Phillips Chemical Company LP Specialty Chemicals 10001 Six Pines Drive The Woodlands, TX 77380
	Local :	Chevron Phillips Chemicals International N.V. Airport Plaza (Stockholm Building) Leonardo Da Vincilaan 19
SDS	S Number:100000068622	1/16

SAFETY DATA SHEET

# n-Dodecyl Mercaptan

Version 4.19	Revision Date 2023-05-19
	1831 Diegem Belgium
	SDS Requests: (800) 852-5530 Responsible Party: Product Safety Group Email:sds@cpchem.com
1.4 Emergency telephone:	
<ul> <li>Mexico CHEMTREC 01-800- South America SOS-Cotec In Argentina: +(54)-1159839431</li> <li>EUROPE: BIG +32.14.58454</li> <li>Austria: VIZ +43 1 406 43 43</li> <li>Belgium: 070 245 245 (24 ho Bulgaria: +359 2 9154 233</li> <li>Croatia: +3851 2348 342 (24</li> <li>Cyprus: 1401</li> <li>Czech Republic: Toxicologica Denmark: Danish Poison Cer</li> <li>Estonia: BIG +32.14.584545</li> <li>Finland: 0800 147 111 09 47</li> <li>France: ORFILA number (INF Germany: BIG +32.14.584545</li> <li>Greece: (0030) 2107793777</li> <li>Hungary: +36-80-201-199 (24</li> <li>Iceland: 543 2222 (24 hours/d Ireland: BIG +32.14.584545 (ph Latvia: State Fire and Rescue Poisoning and Drug Informat 67042473. (24 hours.)</li> <li>Liechtenstein: BIG +32.14.58</li> <li>Lithuania: +370 (85) 2362052</li> <li>Luxembourg: (+352) 8002 55</li> <li>Malta: +356 2395 2000</li> <li>The Netherlands: NVIC: +31</li> <li>Norway: 22 59 13 00 (24 hou Poland: BIG +32.14.584545 (ph Catvia: CIAV phone number Romania: +40213183606</li> <li>Slovakia: +421 2 5477 4166</li> <li>Slovenia: Phone number: 112</li> </ul>	1) r 703.527.3887(int'l) 186 1132) China: 0532 8388 9090 681-9531 (24 hours) 1915 Side Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 1 5 (phone) or +32.14583516 (telefax) (24 hours/day, 7 days/week) 1000 (24 hours/day, 7 days/week) 101 145 8212 1212 (phone) or +32.14583516 (telefax) 11 977 (24 hours/day) RS): +33 (0) 145 42 59 59 (24 hours/day, 7 days/week) 5 (phone) or +32.14583516 (telefax) (24 hours/day, 7 days/week) 4 hours/day, 7 days/week) 4 hours/day, 7 days/week) 1 977 (24 hours/day, 7 days/week) 2 (a hours/day, 7 days/week) 4 hours/day, 7 days/week) 4 hours/day, 7 days/week) 4 hours/day, 7 days/week) 1 900 (24 hours/day, 7 days/week) 2 (bone) or +32.14583516 (telefax) 2 (a hours/day, 7 days/week) 4 hours/day, 7 days/week) 1 900 (24 hours/day, 7 days/week) 2 (00 (24 hours/day, 7 days/week) (0)88 755 8000 rs/day, 7 days/week) (phone) or +32.14583516 (telefax) 2 2 Felephone Number of Spanish Poison Centre: +34 91 562 04 20 (24
Responsible Department : E-mail address : Website :	Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com
SDS Number:100000068622	2/16

Version 4.19

SAFETY DATA SHEET

Revision Date 2023-05-19

#### **SECTION 2: Hazards identification**

#### 2.1

#### Classification of the substance or mixture REGULATION (EC) No 1272/2008

Skin corrosion, Sub-category 1C

Serious eye damage, Category 1

Skin sensitization, Category 1

SDS Number:100000068622

Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H317: May cause an allergic skin reaction. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

#### 2

	5		,	1 5 5
2.2	Labeling (REGULATION (EC	C) N	lo 1272/2008)	
	Hazard pictograms	:		
	Signal Word	:	Danger	
	Hazard Statements	:	H314 H317 H410	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
	Precautionary Statements	:	Prevention: P273 P280 Response: P303 + P361 + P P302 + P352 P305 + P351 + P P391	immediately all contaminated clothing. Rinse skin with water. IF ON SKIN: Wash with plenty of water.
	Hazardous ingredients which • 112-55-0 n-Do		ist be listed on the cyl Mercaptan	label:
2.3	Other hazards			

3/16

-Dodecyl Mercapt	an		SA	FETY DATA SHEE
/ersion 4.19	an		Revis	sion Date 2023-05-1
Results of PBT and vP assessment	be e pers	s substance/mixture contain wither persistent, bioaccum sistent and very bioaccum igher.	ins no compone nulative and toxic	nts considered to c (PBT), or very
Endocrine disrupting properties	con to F (EU	e substance/mixture does sidered to have endocrine REACH Article 57(f) or Co 9 2017/2100 or Commissi els of 0.1% or higher.	e disrupting prop mmission Delega	erties according ated regulation
ECTION 3: Composition/i	nformation o	n ingredients		
.1 - 3.2 ubstance or Mixture Synonyms	1-dc NDE	nal Dodecyl Mercaptan decanethiol DM ecanethiol		
Molecular formula	: C12	H26S		
Hazardous ingredient	5			
Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
n-Dodecyl Mercaptan	112-55-0 203-984-1	Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	98,5	M [Acute]=10 M [Chronic]=10
For the full text of the H	-Statements m	ientioned in this Section, s	see Section 16.	
		,		
ECTION 4: First aid meas	ures			
.1 Description of first-aid	d measures			
General advice		e out of dangerous area. erial safety data sheet to tl		
If inhaled		conscious, place in recove ce. If symptoms persist, c		seek medical
In case of skin contact	: Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.			
In case of eye contact	rem : Sma tissu rinse advi		In the case of o of water and see during transpor	contact with eyes, ek medical t to hospital.

\_\_\_\_\_

n [	Dodoovi Morconton		SAFETY DATA SHEET
	Sion 4.19		Revision Date 2023-05-19
vei	3011 4.19		wide open while rinsing. If eye irritation persists, consult a specialist.
	If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
4.2	Most important symptoms a Notes to physician	and	effects, both acute and delayed
	Symptoms	:	No data available.
1.3	Risks Indication of any immediate	: e mo	No data available. edical attention and special treatment needed
	Treatment	:	No data available.
SEC	CTION 5: Firefighting measu	res	
	Flash point	:	133°C (271°F)
	Autoignition temperature	:	230°C (446°F)
5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Unsuitable extinguishing media	:	High volume water jet.
5.2	<b>Special hazards arising fro</b> Specific hazards during fire fighting		
5.3	Advice for firefighters Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
	Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
	Fire and explosion protection	:	Normal measures for preventive fire protection.
	Hazardous decomposition products	:	Carbon oxides. Sulfur oxides.
SEC	CTION 6: Accidental release	me	asures
6.1	Personal precautions, prot	ecti	ive equipment and emergency procedures
	Personal precautions		Use personal protective equipment. Ensure adequate
	r oroonal procaationo	•	

n Dedeeud Mexanter	SAFETY DATA SHEET
n-Dodecyl Mercaptan	Devision Data 2022 05 10
Version 4.19	Revision Date 2023-05-19
6.2 Environmental precautions	ventilation.
Environmental precautions :	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
3.1	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.</li> </ul>
6.4 Reference to other sections	
Reference to other sections :	For personal protection see section 8. For disposal considerations see section 13.
SECTION 7: Handling and storage	9
7.1 Precautions for safe handling Handling	g
Advice on safe handling :	Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Advice on protection : against fire and explosion	Normal measures for preventive fire protection.
7.2 Conditions for safe storage, i	including any incompatibilities
Storage	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
German storage class :	Combustible, corrosive hazardous materials
7.3 Specific End Use Use :	Intermediate
SECTION 8: Exposure controls/pe	ersonal protection
SDS Number:100000068622	6/16

SAFETY DATA SHEET

Version 4.19

Revision Date 2023-05-19

#### 8.1

#### Control parameters Ingredients with workplace control parameters

Componentes	Bases	Valor	Parâmetros de controlo	Nota
n-Dodecyl Mercaptan	PT OEL	VLE-MP	0,1 ppm,	SC,
Componentes	Base	Valor	Parámetros de control	Nota
Componentes n-Dodecyl Mercaptan	Base ES VLA	Valor VLA-ED	Parámetros de control 0,1 ppm,	Nota
n-Dodecyl Mercaptan				Nota
				Nota Opmerking

#### 8.2

#### Exposure controls Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection	: If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Dusts and Mists. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Hand protection	: The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	: Eye wash bottle with pure water.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Complete head face and neck protection.
SDS Number:100000068622	7/16

Dodecyl Mercaptan	SAFETY DATA SHE
rsion 4.19	Revision Date 2023-05-
	Rubber apron. Footwear protecting against chemicals.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
	maintenance/cleaning, this substance must be handled under Strictly in accordance with REACH regulation Article 18(4) for transported
CTION 9: Physical and chemi	cal properties
Information on basic physic	cal and chemical properties
Appearance	
Physical state Color Odor Odor Threshold	: liquid : Colorless : Repulsive : No data available
Safety data	
Flash point	: 133°C (271°F)
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Oxidizing properties	: no
Autoignition temperature	: 230°C (446°F)
Molecular formula	: C12H26S
Molecular weight	: 202,44 g/mol
рН	: Not applicable
Melting point/freezing point	: No data available
Pour point	No data available
Boiling point/boiling range	: 270°C (518°F)
Vapor pressure	: 0,00 mbar at 25°C (77°F)
Relative density	: No data available
Water solubility	: 0,0054 mg/l Method: OECD Test Guideline 105
Partition coefficient: n- octanol/water	: No data available
Viscosity, dynamic	: 2,98 cP at 25°C (77°F)

n-Dodecyl Mercaptan	SAFETY DATA SHEET
Version 4.19	Revision Date 2023-05-19
Relative vapor density	: 1 (Air = 1.0)
Evaporation rate	: No data available
9.2 Other information Conductivity	: No data available
SECTION 10: Stability and reactive	vity
10.1	
Reactivity	: Stable under recommended storage conditions.
10.2	
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
10.3	
Possibility of hazardous rea	ctions
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur.
10.4 Conditions to avoid	: Heat, sparks, fire, and oxidizing agents.
10.5 Materials to avoid 10.6	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products	: Carbon oxides Sulfur oxides
Other data	: No decomposition if stored and applied as directed.
SECTION 11: Toxicological infor	mation
11.1	
Information on toxicological	effects
Acute oral toxicity	
n-Dodecyl Mercaptan	: LD50: > 5.000 mg/kg Species: Rat Sex: male
Acute inhalation toxicity	
SDS Number:100000068622	9/16

Dodecyl Mercaptan		SAFETY DATA SHE
ersion 4.19		Revision Date 2023-05-
n-Dodecyl Mercaptan		: > 3,10 mg/l Exposure time: 4,5 h Species: Rat Sex: male and female Test atmosphere: vapor Method: OECD Test Guideline 403 Information given is based on data obtained from similar substances.
Acute dermal toxicity		
n-Dodecyl Mercaptan		LD50: > 2.000 mg/kg Species: Rat Sex: male Method: OECD Test Guideline 402
Skin irritation		
n-Dodecyl Mercaptan	:	Corrosive after 1 to 4 hours of exposure
<b>Eye irritation</b> n-Dodecyl Mercaptan	:	Irreversible effects on the eye.
Sensitization		
n-Dodecyl Mercaptan	:	The product is a skin sensitizer, sub-category 1A.
Repeated dose toxicity		
n-Dodecyl Mercaptan		Species: Rat Application Route: Inhalation Dose: 0, 0.43, 1.6, 7.3 ppm Exposure time: 4 wk NOEL: 0,01 mg/l 1.7 ppm Lowest observable effect level: 0,06 mg/l 7.3 ppm Target Organs: Skin
		Species: Dog Application Route: Inhalation Dose: 0, 0.44, 1.7, 7.7 ppm Exposure time: 4 wk NOEL: 1.7 ppm Lowest observable effect level: 7.7 ppm
Genotoxicity in vitro		
n-Dodecyl Mercaptan		Test Type: Ames test Result: negative
		Test Type: Sister Chromatid Exchange Assay Result: negative
		Test Type: Mouse lymphoma assay Result: negative
Genotoxicity in vivo		
DS Number:100000068622		10/16

-Dodecyl Mercaptan	SAFETY DATA SHEET
Version 4.19	Revision Date 2023-05-15
n-Dodecyl Mercaptan	: Test Type: Mouse micronucleus assay Species: Mouse Dose: 1250, 2500, 5000 mg/kg
n-Dodecyl Mercaptan Aspiration toxicity	: May be harmful if swallowed and enters airways.
n-Dodecyl Mercaptan Specific Target Organ Toxicity (Single Exposure)	: Remarks: Not classified :
n-Dodecyl Mercaptan Specific Target Organ Toxicity (Repeated Exposure)	: Remarks: Not classified :
CMR effects	
n-Dodecyl Mercaptan	<ul> <li>Carcinogenicity: Not available Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Teratogenicity: Animal testing did not show any effects on fetal development. Reproductive toxicity: Animal testing did not show any effects on fertility.</li> </ul>
1.2 Information on other hazard	ls
n-Dodecyl Mercaptan Further information Endocrine disrupting properties	<ul> <li>Solvents may degrease the skin.</li> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.</li> </ul>
ECTION 12: Ecological informa	tion
2.1 Toxicity	
Toxicity to fish	
n-Dodecyl Mercaptan	: LC50: > 100 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and oth	er aquatic invertebrates
n-Dodecyl Mercaptan	: EC50: 1 - 10 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

n-Dodecyl Mercaptan	SAFETY DATA SHEET
Version 4.19	Revision Date 2023-05-19
Toxicity to algae	
n-Dodecyl Mercaptan	<ul> <li>EC50: 0,0145 mg/l</li> <li>Exposure time: 72 h</li> <li>Species: Pseudokirchneriella subcapitata (green algae)</li> <li>Growth inhibition Method: OECD Test Guideline 201</li> </ul>
<b>M-Factor</b> dodecane-1-thiol	: M-Factor (Acute Aquat. Tox.) 10
	M-Factor (Chron. Aquat. Tox.) 10
12.2 Persistence and degradab	ility
Biodegradability	
n-Dodecyl Mercaptan	<ul> <li>Result: Not readily biodegradable. Method: OECD Test Guideline 301 Information given is based on data obtained from similar substances.</li> </ul>
12.3 Bioaccumulative potential	
Bioaccumulation	
n-Dodecyl Mercaptan	: Bioconcentration factor (BCF): 228 - 781,2
12.4 Mobility in soil	
Mobility	
n-Dodecyl Mercaptan	: After release, adsorbs onto soil.
12.5 Results of PBT and vPvB a Results of PBT assessment	<ul> <li>This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.</li> </ul>
12.6 Endocrine disrupting prop	erties
Endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Additional ecological information	: Very toxic to aquatic life with long lasting effects.
SDS Number:100000068622	12/16

SAFETY DATA SHEET

Version 4.19

Revision Date 2023-05-19

#### 12.8

### Additional Information

#### **Ecotoxicology Assessment**

Short-term (acute) aquatic hazard n-Dodecyl Mercaptan : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard n-Dodecyl Mercaptan : Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1

#### Waste treatment methods

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14: Transport information**

#### 14.1 - 14.7

#### Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

## US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1760, CORROSIVE LIQUIDS, N.O.S., (N-DODECYL MERCAPTAN), 8, III

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1760, CORROSIVE LIQUID, N.O.S., (N-DODECYL MERCAPTAN), 8, III, (133 °C c.c.), MARINE POLLUTANT, (N-DODECYL MERCAPTAN)

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

SDS Number:100000068622

13/16

	<b>h</b>	SAFETY DATA SHEE
Dodecyl Mercapta sion 4.19		Revision Date 2023-05-1
	LIQUID, N.O.S., (N-DODECYL MER	
UN1760, CORROSIVE	DANGEROUS GOODS BY ROAD (EI E LIQUID, N.O.S., (N-DODECYL MER HAZARDOUS, (N-DODECYL MERC)	CAPTAN), 8, III, (E),
DANGEROUS GOODS ( 80,UN1760,CORROSI	NCERNING THE INTERNATIONAL 1 EUROPE)) /E LIQUID, N.O.S., (N-DODECYL ME HAZARDOUS, (N-DODECYL MERCA	RCAPTAN), 8, III,
	EMENT CONCERNING THE INTER	ATIONAL CARRIAGE
UN1760, CORROSIVI	<b>S BY INLAND WATERWAYS)</b> E LIQUID, N.O.S., (N-DODECYL MER HAZARDOUS, (N-DODECYL MERC/	
ENVIRONMENTALLT	HAZARDOUS, (N-DODECTE MERC)	AFTAIN)
Other information	: n- Dodecyl Mercaptan, S.T.	1, Cat. X
CTION 15: Regulatory info	Ik according to IMO instruments	
CTION 15: Regulatory info Safety, health and envir National legislation	ormation	
Safety, health and envir National legislation	ormation onmental regulations/legislation sp EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration	ing Regulation (EC) No 1907/2006
Safety, health and envir National legislation Commission Regulation ( the European Parliament	ormation onmental regulations/legislation sp EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany)	ormation onmental regulations/legislation sp EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH) : WGK 3 highly water endange	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess	The second state of the council on the Registration space of the Council on the Registration REACH) : WGK 3 highly water endanger ment dodecane-1-thiol A Chemical Sa	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess	ormation         onmental regulations/legislation sp         EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH)         : WGK 3 highly water endange         ment         dodecane-1-thiol       A Chemical Sa not required fo         : 96/82/EC       Update: 2003	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and ring fety Assessment is 203-984-1 r this substance.
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess Components	ormation         onmental regulations/legislation spectrum         EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH)         : WGK 3 highly water endanged         ment         dodecane-1-thiol       A Chemical Sator required for not required for         : 96/82/EC       Update: 2003 Dangerous for the environme 9a	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and ring fety Assessment is 203-984-1 r this substance.
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess Components	ormation         onmental regulations/legislation spectrum         EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH)         : WGK 3 highly water endanged         ment         dodecane-1-thiol       A Chemical Sator required for not required for         : 96/82/EC       Update: 2003 Dangerous for the environmed	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and ring fety Assessment is 203-984-1 r this substance.
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess Components	ormation         conmental regulations/legislation sp         EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH)         : WGK 3 highly water endange         ment         dodecane-1-thiol       A Chemical Sa not required fo         : 96/82/EC       Update: 2003 Dangerous for the environme 9a Quantity 1: 100 t Quantity 2: 200 t         : ZEU_SEVES3       Update: ENVIRONMENTAL HAZARD	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and ring fety Assessment is 203-984-1 r this substance.
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess Components	ormation         conmental regulations/legislation spectry         EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH)         : WGK 3 highly water endanged         ment         dodecane-1-thiol       A Chemical Sa not required for         : 96/82/EC       Update: 2003 Dangerous for the environmed 9a         Quantity 1: 100 t       Quantity 2: 200 t         : ZEU_SEVES3       Update:	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and ring fety Assessment is 203-984-1 r this substance.
Safety, health and envir National legislation Commission Regulation ( the European Parliament Restriction of Chemicals ( Water hazard class (Germany) Chemical Safety Assess Components	ormation         conmental regulations/legislation spectry         EU) 2020/878 of 18 June 2020 amend and of the Council on the Registration REACH)         : WGK 3 highly water endanged         ment         dodecane-1-thiol       A Chemical Sanot required fo         : 96/82/EC       Update: 2003 Dangerous for the environme 9a         Quantity 1: 100 t         Quantity 2: 200 t         : ZEU_SEVES3       Update: ENVIRONMENTAL HAZARD E1         Quantity 1: 100 t         Quantity 1: 100 t	ing Regulation (EC) No 1907/2006 Evaluation, Authorisation and ring fety Assessment is 203-984-1 r this substance. 3 nt

		SAFETY DATA SHEET
n-Dodecyl Mercaptan		
Version 4.19		Revision Date 2023-05-19
Notification status		
Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	:	On TSCA Inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Other AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is
		permitted if the Korean Importation of this product is included on CPChem's notifications or if the Importer of Record themselves notified the substances.
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC Taiwan TCSI		On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory

## **SECTION 16: Other information**

ſ

NFPA Classifica		Health Hazard: 1 Fire Hazard: 1 Reactivity Haza	-	3 0
Further informat	tion			$\checkmark$
Legacy SDS Num	nber :	460130		
Significant change previous versions		t version are hig	hlighted in the m	argin. This version replaces all
previous versions The information ir The information p information and b	s. n this SDS perta provided in this s pelief at the date	ains only to the p Safety Data She of its publication	product as shippe et is correct to the n. The informatio	
previous versions The information in The information p information and b guidance for safe not to be consider	s. In this SDS perta provided in this s pelief at the date handling, use, red a warranty o designated and	ains only to the p Safety Data She of its publication processing, stora or quality specific may not be valic	oroduct as shippe et is correct to the n. The informatio age, transportatio cation. The inform I for such materia	d. e best of our knowledge, n given is designed only as a
previous versions The information in The information p information and b guidance for safe not to be consider specific material o other materials or	s. In this SDS perta provided in this s pelief at the date handling, use, red a warranty of designated and r in any process	ains only to the p Safety Data She of its publication processing, stora or quality specific may not be valic s, unless specifie	product as shippe et is correct to the n. The information age, transportation cation. The inform d for such materia d in the text.	d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the
previous versions The information in The information p information and b guidance for safe not to be consider specific material o other materials or Key of ACGIH	s. In this SDS perta provided in this s pelief at the date handling, use, red a warranty of designated and r in any process	ains only to the p Safety Data She of its publication processing, stor- or quality specifie may not be valic a, unless specifie previations and a ence of	product as shippe et is correct to the n. The information age, transportation cation. The inform d for such materia d in the text.	d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the al used in combination with any
previous versions The information in The information p information and b guidance for safe not to be consider specific material o other materials or Key of ACGIH A AIIC A	s. In this SDS perta provided in this S pelief at the date handling, use, red a warranty of designated and r in any process or legend to abb American Confere	ains only to the p Safety Data She of its publication processing, stor- or quality specifie may not be valic a, unless specifie previations and a ence of strial Hygienists	product as shippe et is correct to the n. The informatio age, transportatio cation. The inform d for such materia d in the text.	d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the al used in combination with any the safety data sheet

#### SAFETY DATA SHEET

Version 4.19

Revision Date 2023-05-19

	List		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

#### Full text of H-Statements referred to under sections 2 and 3.

H314	Causes severe skin burns and eye damage.
------	--

- H317
- H318
- H400
- May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410

SDS Number:100000068622