

## Marlex® HXM 50100P Polyethylene

Version 1.8

Revision Date 2023-05-17

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### **Product information**

Product Name	: Marlex® HXM 50100P Polyethylene
Material	: 1115912, 1115891, 1115338, 1115348, 1115335, 1115336,
	1115346, 1115349, 1115337, 1115350, 1115347, 1115329,
	1115328

#### **EC-No.Registration number**

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Ethylene	74-85-1 200-815-3 601-010-00-3	Saudi Polymers Company 01-2119462827-27-0003
1-Hexene	592-41-6 209-753-1	Saudi Polymers Company 01-2119475505-34-0004

#### 1.2

1.2	Relevant identified uses of t	he	substance or mixture and uses advised against		
1.3	Relevant Identified Uses Supported	:	Manufacture of plastics products		
1.3	Details of the supplier of the	Details of the supplier of the safety data sheet			
	Company	:	Saudi Polymers Company P.O. Box 11221 Jubail Industrial City Saudi Arabia 31961 SDS Requests: (800) 852-5530 Responsible Party: Product Safety Group Email:sds@cpchem.com		
	Local	:	Chevron Phillips Chemicals International N.V. Airport Plaza (Stockholm Building) Leonardo Da Vincilaan 19 1831 Diegem Belgium		
SDS	S Number:100000102147		1/14		

# Marlex® HXM 50100P Polyethylene

Version 1.8

	SDS Requests: (800) 852-5530 Responsible Party: Product Safety Group Email:sds@cpchem.com
1.4 Emergency telephone:	
Mexico CHEMTREC 01-800- South America SOS-Cotec In Argentina: +(54)-1159839431 EUROPE: BIG +32.14.58454 Austria: VIZ +43 1 406 43 43 Belgium: 070 245 245 (24 ho Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 Cyprus: 1401 Czech Republic: Toxicologica Denmark: Danish Poison Cer Estonia: BIG +32.14.584545 Finland: 0800 147 111 09 47 France: ORFILA number (INF Germany: BIG +32.14.584544 Greece: (0030) 2107793777 Hungary: +36-80-201-199 (24 Iceland: 543 2222 (24 hours/d Ireland: BIG +32.14.584545 (ph Latvia: State Fire and Rescue Poisoning and Drug Informat 67042473. (24 hours.) Liechtenstein: BIG +32.14.58 Lithuania: +370 (85) 2362052 Luxembourg: (+352) 8002 55 Malta: +356 2395 2000 The Netherlands: NVIC: +31 Norway: 22 59 13 00 (24 hou Poland: BIG +32.14.584545 ( Portugal: CIAV phone numbe Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112 Spain: National Emergency T hours/day, 7 days/week) Sweden: 112 – ask for Poison	<pre>) r 703.527.3887(int'l) 186 1132) China: 0532 8388 9090 381-9531 (24 hours) side Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 5 (phone) or +32.14583516 (telefax) (24 hours/day, 7 days/week) hours/day, 7 days/week) hours/day, 7 days/week) l Information Center +420 224 919 293, +420 224 915 402 tter (Giftlinjen): +45 8212 1212 (phone) or +32.14583516 (telefax) 1 977 (24 hours/day) (25): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 5 (phone) or +32.14583516 (telefax) (24 hours/day, 7 days/week) hours/day, 7 days/week) hours/day, 7 days/week) hours/day, 7 days/week) b hours/day, 7 days/week) (24 hours/day, 7 days/week) b hours/day, 7 days/week) (24 hours/day, 7 days/week) b hours/day, 7 days/week) c phone) or +32.14583516 (telefax) b output the function for the functio</pre>
E-mail address :	Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com
SDS Number:100000102147	2/14

#### SAFETY DATA SHEET

#### Version 1.8

#### Revision Date 2023-05-17

MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues.

Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use.

Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

#### **SECTION 2: Hazards identification**

#### 2.1

#### Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.2

#### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.3

 Other hazards Results of PBT and vPvB assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 - 3.2 Substance c

S

## Substance or Mixture

#### Hazardous ingredients

	Chemical name	CAS-No.	Classification	Concentration	Specific Conc.
		EC-No.	(REGULATION (EC)	[wt%]	Limits, M-factors
		Index No.	No 1272/2008)		and ATEs
	Polyethylene Hexene Copolymer	25213-02-9		99 - 100	
	Contains no hazardous	ingredients acc	ording to GHS. :		
SDS	DS Number:100000102147 3/14				

Version 1.8

SEC	ECTION 4: First aid measures			
4.1	Description of first-aid mea	sui	res	
	If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.	
	In case of skin contact	:	If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it.	
	In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
	If swallowed	:	Do not induce vomiting without medical advice.	
4.2	Most important symptoms a Notes to physician	nd	effects, both acute and delayed	
	Symptoms	:	No data available.	
4.3	Risks Indication of any immediate	: me	No data available. edical attention and special treatment needed	
	Treatment	:	No data available.	
SEC	CTION 5: Firefighting measur	es		
	Flash point	:	No data available	
	Autoignition temperature	:	No data available	
5.1	Extinguishing media			
	Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
5.2				
	Special hazards arising from Specific hazards during fire fighting	n ti :	he substance or mixture Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.	
5.3	Advice for firefighters Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.	
SDS	S Number:100000102147		4/14	

Ла	rlex® HXM 50100P I	Po	SAFETY DATA SHEE
Ver	sion 1.8		Revision Date 2023-05-1
	Further information	:	This material will burn although it is not easily ignited.
	Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
	Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
SEC	TION 6: Accidental release	me	asures
6.1			
	Personal precautions, prot	ecti	ive equipment and emergency procedures
	Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
6.2	Environmental precautions		
	-	•	
	Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
6.3			
	Methods and materials for Methods for cleaning up		ntainment and cleaning up Clean up promptly by sweeping or vacuum.
	Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
6.4	Reference to other section	S	· ,
	Reference to other sections	:	For personal protection see section 8. For disposal considerations see section 13.
SEC	TION 7: Handling and stora	ge	
7.1			
	Precautions for safe handli Handling	ng	
	Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited

	De	SAFETY DATA SHEET		
Marlex® HXM 50100P	20			
Version 1.8		Revision Date 2023-05-17		
		epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.		
Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.		
7.2 Conditions for safe storage	e, ir	ncluding any incompatibilities		
Storage				
Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.		
Advice on common storage	:	Do not store together with oxidizing and self-igniting products.		
German storage class	:	Combustible Solids		
7.3 Specific End Use Use	:	Manufacture of plastics products		
SECTION 8: Exposure controls/personal protection				

#### 8.2

#### Exposure controls Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection	<ul> <li>No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.</li> <li>Dust safety masks are recommended when the dust concentration is excessive.</li> </ul>
Eye protection	: Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
SDS Number:100000102147	6/14

la	rlex® HXM 50100P Po	SAFETY DATA SHEE
	sion 1.8	Revision Date 2023-05-
	Skin and body protection :	At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
EC	TION 9: Physical and chemica	I properties
.1	Information on basic physica	l and chemical properties
	Appearance	
	Form Physical state Color Odor Odor Threshold	<ul> <li>Pellets</li> <li>solid</li> <li>Opaque</li> <li>Mild to no odor</li> <li>No data available</li> </ul>
	Safety data	
	Flash point	: No data available
	Lower explosion limit	: Not applicable
	Upper explosion limit	: Not applicable
	Autoignition temperature	: No data available
	Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
	рН	: Not applicable
	Melting point/range	: 90-140°C (194-284°F)
	Freezing point	Not applicable
	Initial boiling point and boiling range	: Not applicable
	Vapor pressure	: Not applicable
	Relative density	: Not applicable
	Density	: 0,91 - 0,97 g/cm3
	Water solubility	: negligible
	Partition coefficient: n- octanol/water Solubility in other solvents	<ul><li>No data available</li><li>No data available</li></ul>
	Viscosity, dynamic	: Not applicable
ns	Number:100000102147	7/14

Marlex® HXM 50100P P	SAFETY DATA SHEET
Version 1.8	Revision Date 2023-05-17
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable
9.2 Other information Conductivity	: No data available
SECTION 10: Stability and reacti	vity
10.1	
Reactivity	: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
10.2	
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
10.3	
Possibility of hazardous rea	ctions
10.4 Conditions to avoid	: Avoid prolonged storage at elevated temperature.
10.5 Materials to avoid	: Avoid contact with strong oxidizing agents.
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
10.6 Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
SECTION 11: Toxicological infor	mation
11.1 Information on toxicologica	
Marlex® HXM 50100P Polyet Acute oral toxicity	t <b>hylene</b> : Presumed Not Toxic
SDS Number:100000102147	8/14

# Marlex® HXM 50100P Polyethylene

Version 1.8

	Marlex® HXM 50100P Polyethy Acute inhalation toxicity :		
	Marlex® HXM 50100P Polyethy Acute dermal toxicity :		
	Marlex® HXM 50100P Polyethy Skin irritation	lene No skin irritation	
	Marlex® HXM 50100P Polyethy Eye irritation	lene No eye irritation	
	Marlex® HXM 50100P Polyethy Sensitization	lene Did not cause sensitization on laboratory animals.	
	Marlex® HXM 50100P Polyethy Aspiration toxicity : Toxicology Assessment	<b>lene</b> No data available.	
	Marlex® HXM 50100P Polyethy Specific Target Organ : Toxicity (Single Exposure)	lene Remarks: No adverse effects expected :	
	Marlex® HXM 50100P Polyethy Specific Target Organ : Toxicity (Repeated Exposure)	lene Remarks: No adverse effects expected :	
	Marlex® HXM 50100P Polyethy	lene	
	CMR effects	Carcinogenicity: No adverse effects expected	
		Mutagenicity:	
		No adverse effects expected Reproductive toxicity:	
		No adverse effects expected	
11.2	2		
	Information on other hazards		
	Marlex® HXM 50100P Polyethy	lene	
	Further information :	This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.	
SDS	S Number:100000102147	9/14	

Marlex® HXM 50100P	SAFETY DATA SH	EE	
Version 1.8	Revision Date 2023-0	5-1 <sup>-</sup>	
Endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at	
SECTION 12: Ecological inform	ation		
12.1 Toxicity			
Ecotoxicity effects			
Toxicity to fish	: Not a hazardous substance or mixture.		
12.2 Persistence and degradab	lity		
Biodegradability	: This material is not expected to be readily biodegradable.		
12.3 Bioaccumulative potential Elimination information (pers	istence and degradability)		
Bioaccumulation	: Does not bioaccumulate.		
12.4 Mobility in soil			
Mobility	: The product is insoluble and floats on water.		
12.5 Decello ( DDT en la D. D.			
Results of PBT and vPvB a Results of PBT assessment	<ul> <li>Sessment</li> <li>This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.</li> </ul>		
12.6 Endocrine disrupting prop	erties		
Endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.		
12.7 Other adverse effects			
Additional ecological information	: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.		
12.8 Additional Information			

Version 1.8

Revision Date 2023-05-17

#### Ecotoxicology Assessment

Short-term (acute) aquatic hazard	: This product has no known ecotoxicological effects.
Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.

#### **SECTION 13: Disposal considerations**

#### 13.1

#### Waste treatment methods

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

#### **SECTION 14: Transport information**

#### 14.1 - 14.7

#### Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000102147

11/14

# Marlex® HXM 50100P Polyethylene

Version 1.8

OF DANGEROUS GOODS B	AZARDOUS MATERIAL ÓR DANGEROUS GOODS FOR
Maritime transport in bulk ad SECTION 15: Regulatory informa	ccording to IMO instruments
National legislation Commission Regulation (EU) 2	ental regulations/legislation specific for the substance or mixture 2020/878 of 18 June 20 amending Regulation (EC) No 1907/2006 of of the Council on the Registration, Evaluation, Authorisation and CH)
Water hazard class (Germany) 15.2	: nwg not water endangering
Major Accident Hazard Legislation	: 96/82/EC Update: 2003 Directive 96/82/EC does not apply
Notification status Europe REACH Switzerland CH INV United States of America (USA TSCA Canada DSL Other AICS New Zealand NZIoC Japan ENCS Korea KECI Philippines PICCS China IECSC Taiwan TCSI Other regulations	<ul> <li>On the inventory, or in compliance with the inventory</li> <li>Not in compliance with the inventory</li> <li>On or in compliance with the active portion of the TSCA inventory</li> <li>All components of this product are on the Canadian DSL</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>On the inventory, or in compliance with the inventory</li> <li>Italian Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments, Bags, Shrink Film, Stretch Hood, Liners: LDPE 4 Liners: PP 5</li> </ul>
SDS Number:100000102147	12/14

Version 1.8

Revision Date 2023-05-17

#### **SECTION 16: Other information**

NFPA Classification	: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0	
Further information		

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AIIC	Australian Inventory of Industrial	LOAEL	Lowest Observed Adverse Effe
	Chemicals		Level
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agence
	List		
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupation
	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of
			Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
			Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentra
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substar
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recov
			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composi
	Inventory		Complex Reaction Products, a

## Marlex® HXM 50100P Polyethylene

Version 1.8

Revision Date 2023-05-17

			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000102147