



## HEC Liquid Polymer XPT

Version 1.11

Revision Date 2023-09-20

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

##### Product information

Product Name : HEC Liquid Polymer XPT  
 Material : 1091031

##### EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics		Chevron Phillips Chemicals International NV 01-2119456620-43-0010
Isoprene	78-79-5 201-143-3 601-014-00-5	Chevron Phillips Chemicals International NV 01-2119457891-29-0009
Styrene	100-42-5 202-851-5 601-026-00-0	Chevron Phillips Chemicals International NV 01-2119457861-32-0005
Oxirane	75-21-8 200-849-9 603-023-00-X	Chevron Phillips Chemicals International NV 01-2119432402-53-0030

#### 1.2

##### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses Supported : Use in Oil and Gas field drilling and production operations - Industrial

#### 1.3

##### Details of the supplier of the safety data sheet

Company : Chevron Phillips Chemical Company LP  
 Drilling Specialties Company LLC  
 10001 Six Pines Drive  
 The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.  
 Airport Plaza (Stockholm Building)

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Leonardo Da Vincilaan 19  
1831 Diegem  
Belgium

SDS Requests: (800) 852-5530  
Responsible Party: Product Safety Group  
Email:sds@cpchem.com

**1.4****Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Gifflinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic

Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
E-mail address : SDS@CPChem.com

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Website : www.CPChem.com

**SECTION 2: Hazards identification****2.1****Classification of the substance or mixture  
REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture.

**2.2****Labeling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

**Additional Labeling:**

EUH210 Safety data sheet available on request.

**2.3****Other hazards**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 - 3.2****Substance or Mixture**

Synonyms : Drilling Mud Additive

Molecular formula : Mixture

**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclic, <2% aromatics		Asp. Tox. 1; H304	30 - 60	

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1**

SDS Number:100000013963

3/16

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

**Description of first-aid measures**

- General advice : No hazards which require special first aid measures.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed****Notes to physician**

- Symptoms : No data available.
- Risks : No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : No data available.

**SECTION 5: Firefighting measures**

- Flash point : >83°C (>181°F)  
Method: ASTM D 93

- Autoignition temperature : 225°C (437°F)

**5.1****Extinguishing media**

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : High volume water jet.

**5.2****Special hazards arising from the substance or mixture**

- Specific hazards during fire fighting : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**5.3****Advice for firefighters**

- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Hazardous decomposition : Carbon oxides.  
products

**SECTION 6: Accidental release measures****6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

**6.2****Environmental precautions**

Environmental precautions : Prevent further leakage or spillage if safe to do so.

**6.3****Methods and materials for containment and cleaning up**

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

**6.4****Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

**SECTION 7: Handling and storage****7.1****Precautions for safe handling  
Handling**

Advice on safe handling : Avoid formation of aerosol. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

**7.2****Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

German storage class : Combustible liquids

**7.3**

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

**Specific End Use**  
Use : Drilling Fluid Additive

**SECTION 8: Exposure controls/personal protection**

**8.1**  
**Control parameters**  
**Ingredients with workplace control parameters**

**SK**

Zložky	Podstata	Hodnota	Kontrolné parametre	Poznámka
Cellulose, 2-Hydroxyethyl Ether	SK OEL	NPEL priemerný	5 mg/m <sup>3</sup>	Tabuľka č. 6, Pre celkovú koncentráciu
Benzene, ethenyl-, polymer with 2-methyl-1,3-butadiene, hydrogenated	SK OEL	NPEL priemerný	5 mg/m <sup>3</sup>	Tabuľka č. 6, Pre celkovú koncentráciu

Tabuľka č. 6 pevné aerosóly s prevažne dráždivým účinkom

**LV**

Sastāvdaļas	Bāze	Vērtība	Pārvaldības parametri	Piezīme
Cellulose, 2-Hydroxyethyl Ether	LV OEL	AER 8 st	5 mg/m <sup>3</sup>	
Benzene, ethenyl-, polymer with 2-methyl-1,3-butadiene, hydrogenated	LV OEL	AER 8 st	5 mg/m <sup>3</sup>	

**8.2**  
**Exposure controls**  
**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

**Respiratory protection** : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Air-Purifying Respirator for Organic Vapors. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

**Hand protection** : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Eye wash bottle with pure water. Tightly fitting safety goggles.

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant protective clothing. Footwear protecting against chemicals.

Hygiene measures : Wash hands before breaks and at the end of workday.

A quantitative risk assessment is not required for the environment.  
A quantitative risk assessment is not required for human health.

**SECTION 9: Physical and chemical properties****9.1****Information on basic physical and chemical properties****Appearance**

Form : liquid  
Physical state : liquid  
Color : Opaque  
Odor : Hydrocarbon  
Odor Threshold : No data available

**Safety data**

Flash point : >83°C (>181°F)  
Method: ASTM D 93

Lower explosion limit : 0,6 %(V)

Upper explosion limit : 5,1 %(V)

Oxidizing properties : no

Autoignition temperature : 225°C (437°F)

Molecular formula : Mixture

Molecular weight : 172 g/mol

pH : Not applicable

Pour point : <-39°C (<-38°F)  
Method: ASTM D-97/5950/6892/7346

Initial boiling point and boiling range : 207°C (405°F)  
Method: ASTM D 86

Vapor pressure : No data available

Relative density : 0,97  
at 15,6 °C (60,1 °F)

Density : 0,8 g/cm<sup>3</sup>  
at 15°C (59°F)  
Method: ASTM D4052

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Water solubility	: partly soluble
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 42938 mm <sup>2</sup> /s at 40°C (104°F) Method: ASTM D 445
Relative vapor density	: 3 (Air = 1.0)
Evaporation rate	: 5,9

**SECTION 10: Stability and reactivity****10.1**

**Reactivity** : Stable at normal ambient temperature and pressure.

**10.2**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3****Possibility of hazardous reactions**

**Hazardous reactions** : Hazardous reactions: Hazardous polymerization does not occur.

Further information: No decomposition if stored and applied as directed.

Hazardous reactions: Vapors may form explosive mixture with air.

**10.4**

**Conditions to avoid** : Heat, flames and sparks.

**10.5**

**Materials to avoid** : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

**10.6**

**Hazardous decomposition products** : Carbon oxides

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****11.1****Information on toxicological effects**



**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

**Acute oral toxicity**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : LD50: > 5.000 mg/kg  
 Species: Rat  
 Sex: male and female  
 Information given is based on data obtained from similar substances.

**Acute inhalation toxicity**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : LC50: > 5 mg/l  
 Exposure time: 8 h  
 Species: Rat  
 Sex: male  
 Test atmosphere: vapor  
 Method: OECD Test Guideline 403  
 Information given is based on data obtained from similar substances.

**Acute dermal toxicity**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : LD50: > 5.000 mg/kg  
 Species: Rabbit  
 Sex: male and female  
 Information given is based on data obtained from similar substances.

**Skin irritation**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : No skin irritation  
 Information given is based on data obtained from similar substances.

**Eye irritation**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : No eye irritation  
 Information given is based on data obtained from similar substances.

**Sensitization**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : Did not cause sensitization on laboratory animals.  
 Information given is based on data obtained from similar substances.

**Repeated dose toxicity**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Dose: 0, 2600, 5200, 10400 mg/m3  
 Exposure time: 90 d  
 Number of exposures: 6h/d; 5d/wk  
 NOEL: 10400 mg/m3  
 Method: OECD Test Guideline 413  
 No adverse effects expected  
 Information given is based on data obtained from similar substances.

**Genotoxicity in vitro**

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

: Test Type: Reverse mutation assay  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative  
 Remarks: Information given is based on data obtained from similar substances.

Test Type: Chromosome aberration test in vitro  
 Test system: Chinese hamster ovary cells  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 479  
 Result: negative  
 Remarks: Information given is based on data obtained from similar substances.

Test Type: Mouse lymphoma assay  
 Test system: mouse lymphoma cells  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Information given is based on data obtained from similar substances.

**Genotoxicity in vivo**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

: Test Type: Dominant lethal assay  
 Species: Rat  
 Route of Application: Inhalation  
 Method: OECD Test Guideline 478  
 Result: negative  
 Remarks: Information given is based on data obtained from similar substances.

Test Type: Micronucleus test  
 Species: Mouse  
 Route of Application: Oral  
 Method: OECD Test Guideline 474  
 Result: negative  
 Remarks: Information given is based on data obtained from similar substances.

**Reproductive toxicity**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

: Species: Rat  
 Sex: male and female  
 Application Route: Inhalation  
 Exposure time: 8 wk  
 Number of exposures: 6h/d;5d/wk  
 Method: OECD Guideline 421  
 NOAEL Parent: 1720 mg/m<sup>3</sup>  
 NOAEL F1: 1720 mg/m<sup>3</sup>  
 Fertility and developmental toxicity tests did not reveal any effect on reproduction.  
 Information given is based on data obtained from similar substances.

**Developmental Toxicity**

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : Species: Rat  
 Application Route: Inhalation  
 Exposure time: 6h/d;5d/wk  
 Number of exposures: daily  
 Test period: GD 6-15  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity: 5220 mg/m<sup>3</sup>  
 NOAEL Maternal: 5220 mg/m<sup>3</sup>  
 Animal testing did not show any effects on fetal development.  
 Information given is based on data obtained from similar substances.

**Aspiration toxicity**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : May be fatal if swallowed and enters airways.

**11.2****Information on other hazards****HEC Liquid Polymer XPT****Further information**

Endocrine disrupting properties : No data available.  
 : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information****12.1****Toxicity****Toxicity to fish**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : LL0: 1.000 mg/l  
 Exposure time: 96 h  
 Species: Oncorhynchus mykiss (rainbow trout)  
 semi-static test Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : EL0: 1.000 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 Method: OECD Test Guideline 202

**Toxicity to algae**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : EL50: > 1.000 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (green algae)  
 static test Method: OECD Test Guideline 201

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

**12.2****Persistence and degradability**

Biodegradability : Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

**12.3****Bioaccumulative potential**

Elimination information (persistence and degradability)

Bioaccumulation

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : The product may be accumulated in organisms.

**12.4****Mobility in soil**

Mobility

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics : After release, disperses into the air.

**12.5****Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6****Endocrine disrupting properties**

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7****Other adverse effects**

Additional ecological information : This material is not expected to be harmful to aquatic organisms.

No data available

**12.8****Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

**SECTION 13: Disposal considerations****13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

A quantitative risk assessment is not required for the environment.  
A quantitative risk assessment is not required for human health.

**SECTION 14: Transport information****14.1 - 14.7****Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Testing (ASTM D4206) has shown product does not sustain combustion.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture  
National legislation**

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Water hazard class (Germany)** : WGK 1 slightly water endangering

**15.2****Chemical Safety Assessment**

**Components** : Hydrocarbons,  
C11-C14, n-  
alkanes,  
isoalkanes, cyclic,  
<2% aromatics

**Major Accident Hazard Legislation** : ZEU\_SEVES3 Update:  
Not applicable

**Notification status**

Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
Switzerland CH INV	:	Not in compliance with the inventory
United States of America (USA) TSCA	:	Not On TSCA Inventory
Canada DSL	:	This product contains one or several components that are not on the Canadian DSL nor NDSL.
Australia AIIC	:	Not in compliance with the inventory
New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	Not in compliance with the inventory
Korea KECI	:	Not in compliance with the inventory
Philippines PICCS	:	Not in compliance with the inventory
Taiwan TCSI	:	Not in compliance with the inventory

**HEC Liquid Polymer XPT**

Version 1.11


Revision Date 2023-09-20

China IECSC

: Not in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 1  
Fire Hazard: 1  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : CPC00275

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average

**HEC Liquid Polymer XPT**

Version 1.11

Revision Date 2023-09-20

	Substances in China		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

**Full text of H-Statements referred to under sections 2 and 3.**