

Version 1.17 Revision Date 2023-11-01

MSDS number: AA00974-0000000098

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name : AlphaPlus® 1-HEXENE

Material : 1128498, 1117427, 1088135, 1081271, 1084562, 1070002,

1025308, 1017828, 1032321, 1017829, 1028630, 1026835,

1028342, 1011442, 1026834, 1015415

Recommended use of the

product

: Commercial Product

Restrictions on use : None known.

Address : Chevron Phillips Chemical Company LP

Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380

Address : CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.

C/O DONG WOO CORPORATION

#B-2601,JEONGJAIL-RO,

BUNDANG-GU, SEONGNAMI-SI,

GYEONGGI-DO,13557 SOUTH KOREA

Telephone no.: +612-9186-1132

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week) Belgium: 070 245 245 (24 hours/day, 7 days/week)

Number:100000068730 1/18

Version 1.17 Revision Date 2023-11-01

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Greece: (0030) 2107793777 (24 hours/day, 7 days/weel Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic

Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

 Appointees
 : 회사명: 리이치 24 시코리아㈜.

주소: 서울시 서초구 헌릉로 7,

외국기업창업지원연구센터

(IKP) 908-909호 전화: +82-1067838981

SECTION 2: Hazards identification

Hazard classification

Standards for classification and labeling of chemical substances and material safety data sheet (ministry of employment and labor public notice No. 2020-130)

Number:100000068730 2/18

Version 1.17 Revision Date 2023-11-01

Classification

: Flammable liquids, Category 2 Aspiration hazard, Category 1

Warning label elements including precautionary statements

Symbol(s) :





Signal Word : Danger

Hazard Statements : H225: Highly flammable liquid and vapor.

H304: May be fatal if swallowed and enters airways.

Precautionary Statements : Prevention:

P210: Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge. P280: Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310: IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P331: Do NOT induce vomiting.

P370 + P378: In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal:

P501: Dispose of contents and container according to wastes

control act.

Other hazards which do not result in classification

: None

Number:100000068730 3/18

Version 1.17 Revision Date 2023-11-01

SECTION 3: Composition/information on ingredients

Synonyms alpha-Hexene

Hexene-1 Hex-1-ene Hexylene NAO 6

Butyl Ethylene

C6H12

Molecular formula C6H12

Molecular formula	. 001112			
Common name	Synonyms	CAS-No.	Concentration	KECI Number
1-Hexene	hex-1-ene	592-41-6	99 % - 100%	KE-19845
2-Ethyl-1-Butene	2-ethylbut-1-ene	760-21-4	0 % - 1%	KE-13561 (2)-31

SECTION 4: First aid measures

Move out of dangerous area. Show this material safety data General advice

> sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

: Keep respiratory tract clear. Do NOT induce vomiting. Do not If swallowed

> give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a

physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point : -26°C (-15°F)

Method: closed cup

Autoignition temperature : 272°C (522°F)

Suitable extinguishing : Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Number:100000068730 4/18

Version 1.17 Revision Date 2023-11-01

media

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case

of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed

containers.

Fire and explosion

protection

Do not spray on a naked flame or any incandescent material.

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low

areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

SECTION 7: Handling and storage

Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid

exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under

Number:100000068730 5/18

Version 1.17 Revision Date 2023-11-01

exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Secure storage

Requirements for storage areas and containers

No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : None known.

Specific Use : Commercial Product

SECTION 8: Exposure controls/personal protection

KR

Components	Basis	Value	Control parameters	Note
n-hexane	KR OEL	TWA	50 ppm,	repr 2, Skin,
	KR PEL	TWA	50 ppm.	

repr 2 Suspected human reproductive toxicant

Skin Substances designated by 'Skin' may be absorbed into the bloodstream through the skin, mucous membrane and eye and contribute to the overall effect. (Skin notation does not apply to the skin irritant)

Chemical exposure standards, biological exposure standards, etc.

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection

If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Organic Vapors. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

Number:100000068730 6/18

Version 1.17 Revision Date 2023-11-01

may not provide adequate protection.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant antistatic protective clothing. Workers should wear antistatic

footwear.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state : liquid

Color : Clear, colorless

Odor : No information available.

Odor Threshold : No data available

pH : Not applicable

Pour point : No data available

Melting point/freezing point -140°C (-220°F)

Boiling point/boiling range : 63.5°C (146.3°F)

Flash point : -26°C (-15°F)

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Lower explosion limit : 2 %(V)

Upper explosion limit : 7 %(V)

Number:100000068730 7/18

Version 1.17 Revision Date 2023-11-01

Vapor pressure : 176.00 MMHG

at 24°C (75°F)

106.30 kPa at 65°C (149°F)

Solubility : 47 MG/L

at 20°C (68°F) slightly soluble

Relative density : 0.68

at 15 °C (59 °F)

0.683

at 10 °C (50 °F)

0.673

at 20 °C (68 °F)

0.645

at 50 °C (122 °F)

0.640

at 55 °C (131 °F)

Density : 645 kg/m3

at 50°C (122°F)

678 kg/m3 at 15°C (59°F)

674 g/cm3 at 20°C (68°F)

Vapor density : 2.9

(Air = 1.0)

Partition coefficient: n-

octanol/water

: log Pow: 3.87

Autoignition temperature : 272°C (522°F)

Decomposition temperature : No data available

Viscosity, kinematic : 0.34 cSt

at 40°C (104°F)

Molecular weight : 84.18 g/mol

SECTION 10: Stability and reactivity

Reactivity : Stable at normal ambient temperature and pressure.

Number:100000068730 8/18

SAFETY DATA SHEET

AlphaPlus® 1-HEXENE

Version 1.17 Revision Date 2023-11-01

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as

directed.

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Thermal decomposition : No data available

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Information on exposure routes

AlphaPlus® 1-HEXENE

Acute oral toxicity : LD50: > 5,600 mg/kg

Species: Rat

Sex: male and female

Method: Acute toxicity estimate

AlphaPlus® 1-HEXENE

Acute inhalation toxicity : No data available

AlphaPlus® 1-HEXENE

Acute dermal toxicity : LD50 Dermal: > 3,500 mg/kg

Species: Rabbit

Method: Acute toxicity estimate

AlphaPlus® 1-HEXENE

Skin corrosion or irritation: No skin irritation. Repeated or prolonged contact with the

mixture may cause removal of natural fat from the skin

resulting in desiccation of the skin.

AlphaPlus® 1-HEXENE

Eye corrosion or irritation : No eye irritation.

AlphaPlus® 1-HEXENE

Number:100000068730 9/18

Version 1.17 Revision Date 2023-11-01

Respiratory Sensitization : No data available

AlphaPlus® 1-HEXENE

Skin sensitization Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Hexene : Species: Rat, male

Sex: male

Application Route: oral gavage Dose: 0, 10, 101, 1010, 3365 mg/kg

Exposure time: 28 day Number of exposures: daily

NOEL: 101 mg/kg

Lowest observable effect level: 1,010 mg/kg

Test substance: yes

Method: OECD Test Guideline 407

Species: Rat, female

Sex: female

Application Route: oral gavage Dose: 0, 10, 101, 1010, 3365 mg/kg

Exposure time: 28 day Number of exposures: daily NOEL: 1,010 mg/kg

Lowest observable effect level: 3,365 mg/kg

Test substance: yes

Method: OECD Test Guideline 407

Species: Rat

Application Route: Inhalation Dose: 0, 300, 1000, 3000 ppm

Exposure time: 90 day

Number of exposures: 6 h/d, 5 d/wk, 13 wk

NOEL: 3000 ppm Test substance: yes

Germ cell mutagenicity (in vitro)

1-Hexene : Test Type: Ames test

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

Number:100000068730 10/18

SAFETY DATA SHEET

AlphaPlus® 1-HEXENE

Version 1.17 Revision Date 2023-11-01

Test Type: Unscheduled DNA synthesis assay

Result: negative

Test Type: Mouse lymphoma assay

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Guideline 473

Result: negative

Germ cell mutagenicity (in vivo)

1-Hexene : Test Type: Mouse micronucleus assay

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative

Specific Target Organ Toxicity (Single Exposure)

Not classified due to data which are conclusive although

insufficient for classification.

Specific Target Organ Toxicity (Repeated Exposure)

Not classified due to data which are conclusive although

insufficient for classification.

Aspiration toxicity

Aspiration toxicity : May be fatal if swallowed and enters airways.

CMR effects

1-Hexene : Carcinogenicity: Not available

Mutagenicity: Tests on bacterial or mammalian cell cultures

did not show mutagenic effects.

Teratogenicity: Animal testing did not show any effects on

fetal development.

Reproductive toxicity: Animal testing did not show any effects

on fertility.

Reproductive toxicity

1-Hexene : Species: Rat

Sex: males

Number:100000068730 11/18

Version 1.17 Revision Date 2023-11-01

Application Route: oral gavage Dose: 0, 100, 500, 1000 mg/kg Number of exposures: daily

Test period: 44 d Test substance: yes

Method: OECD Guideline 421 NOAEL Parent: 1,000 mg/kg NOAEL F1: 1,000 mg/kg

Species: Rat Sex: females

Application Route: oral gavage Dose: 0, 100, 500, 1000 mg/kg Number of exposures: daily Test period: 41-51 d

Test period: 41-51 d Test substance: yes

Method: OECD Guideline 421 NOAEL Parent: 1,000 mg/kg NOAEL F1: 1,000 mg/kg

AlphaPlus® 1-HEXENE

Further information : Solvents may degrease the skin.

SECTION 12: Ecological information

Ecological Toxicity

Toxicity to fish

1-Hexene : LC50: 5.6 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

semi-static test Test substance: yes Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

1-Hexene : EC50: 4.4 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) static test Test substance: no Method: OECD Test Guideline 202

Information given is based on data obtained from similar

substances.

Toxicity to algae

1-Hexene : NOEC: 1.8 mg/l

Exposure time: 96 h

Species: Pseudokirchneriella subcapitata (green algae) Growth inhibition Method: OECD Test Guideline 201 Information given is based on data obtained from similar

Number:100000068730 12/18

Version 1.17 Revision Date 2023-11-01

substances.

EC50: > 5.5 mg/l Exposure time: 96 h

Species: Pseudokirchneriella subcapitata (green algae) Growth inhibition Method: OECD Test Guideline 201 Information given is based on data obtained from similar

substances.

Persistence and

degradabilityPersistence

and degradability

: This material is expected to be readily biodegradable.

Bioaccumulative : This material is not expected to bioaccumulate.

Mobility : No data available

Results of PBT assessment

1-Hexene : Non-classified PBT substance, Non-classified vPvB substance

Other adverse effects : An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal., Toxic to aquatic life.

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Toxic to aquatic life.

Long-term (chronic) aquatic

hazard

: No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Disposal method : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Disposal precaution : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

Number:100000068730 13/18

Version 1.17 Revision Date 2023-11-01

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

UN Number		UN2370
UN Product Shipping Name		1-HEXENE
Hazard Class	:	
Packing Group	:	II - Hazardous Properties
Marine Pollutant	:	Not applicable
Special Safety Measures on Mode of Transport	:	No data available

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2370, 1-HEXENE, 3, II

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2370, 1-HEXENE, 3, II, (-26°C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2370, 1-HEXENE, 3, II

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2370, 1-HEXENE, 3, II, (D/E)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN2370, 1-HEXENE, 3, II

Number:100000068730 14/18

Δ	FFTV	$D\Delta T\Delta$	SHFF
.) 🖰		DAIA	

Version 1.17 Revision Date 2023-11-01

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2370, 1-HEXENE, 3, II, ENVIRONMENTALLY HAZARDOUS, (1-HEXENE)
For Tank Vessels and/or Barges:
UN2370, 1-HEXENE, 3, (N3), II, ENVIRONMENTALLY HAZARDOUS, (1-Hexene)

Other information : 3

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

Regulation under the Occupational Safety and Health Act

A Material Safety Datasheet (MSDS) for this product is not required according to article 41 of the ISHA.

Regulation		Chemical name	Threshold limits
Harmful Substances Prohibited from Manufacturing	:	Not applicable	
Harmful Substances Required Permission for Manufacture	:	Not applicable	

Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

Regulation		Chemical name	Threshold limits
Toxic Chemicals	:	Not applicable	
Prohibited Chemicals	:	Not applicable	
Restricted Chemicals	:	Not applicable	
Toxic Release Inventory	:	Not applicable	

Dangerous Substances Safety Management Act

Dangerous Substances : Flammable liquids, Type 1 petroleums, Water insoluble liquid Safety Management Act

Number:100000068730 15/18

Version 1.17 Revision Date 2023-11-01

Regulations by the Waste

Management Act Not applicable

Regulations by other domestic and foreign laws

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AIIC : On the inventory, or in compliance with the inventory
New Zealand NZIoC : On the inventory, or in compliance with the inventory
Japan ENCS : On the inventory, or in compliance with the inventory
Philippines PICCS : On the inventory, or in compliance with the inventory
Taiwan TCSI : On the inventory, or in compliance with the inventory
Korea KECI : All substances in this product were registered, notified

to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was

included on CPChem's notifications or if the Importer of

Record themselves notified the substances.


China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

Source of data	:	Korea. GHS based classification
Date of initial writing	:	2021-09-15
Revision number	:	1
Last revision date	:	2023-11-01

NFPA Classification : Health Hazard: 1

Fire Hazard: 3 Reactivity Hazard: 0



Other information

None.

Number:100000068730 16/18

Version 1.17 Revision Date 2023-11-01

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%		
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level		
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level		
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration		
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration		
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit		
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances		
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act		
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit		
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.		
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value		
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials		
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System		
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate		

Number:100000068730 17/18

	SAFETY DATA SHEET
	SAILII DAIA SIILLI
AlphaPlus® 1-HEXENE	
Version 1.17	Revision Date 2023-11-01
Number:100000068730	18/18
	·