

Version 1.8 Revision Date 2023-11-27

MSDS number: AA00974-0000000431

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name : Marlex® HXM 50100 Polyethylene

Material : 1118576, 1018745, 1018747, 1070714, 1093199, 1080384,

1086319, 1018013, 1018017, 1017207, 1025207, 1018746, 1018748, 1019312, 1019315, 1019314, 1019313, 1019310,

1019311, 1018749

Recommended use of the

product

: Manufacture of plastics products

Restrictions on use : None known.

Address : Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

Address : CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.

C/O DONG WOO CORPORATION

#B-2601,JEONGJAIL-RO, BUNDANG-GU,SEONGNAMI-SI,

GYEONGGI-DO,13557

SOUTH KOREA

Telephone no.: +612-9186-1132

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Number:10000000792 1/14

Version 1.8 Revision Date 2023-11-27

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week) Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

Appointees : 회사명: 리이치24시코리아㈜.

주소: 서울특별시 강남구 강남대로 94길 34,4층

전화: +82-02-6245-1610

MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues.

Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use.

Number:10000000792 2/14

Marlex® HXM 50100 Polyethylene

Version 1.8 Revision Date 2023-11-27

Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

SECTION 2: Hazards identification

Hazard classification

Standards for classification and labeling of chemical substances and material safety data sheet (ministry of employment and labor public notice No. 2023-9)

Classification

Not applicable

Warning label elements including precautionary statements

Symbol(s)

Signal Word : Not applicable

Hazard Statements : Not applicable

Precautionary Statements : Not applicable

Other hazards which do not result in classification

: None

SECTION 3: Composition/information on ingredients

Common name	Synonyms	CAS-No.	Concentration	KECI Number
Polyethylene Hexene Copolymer	Polyethylene Hexene Copolymer	25213-02-9	99 % - 100%	KE-13670

SECTION 4: First aid measures

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

Number:10000000792 3/14

Version 1.8 Revision Date 2023-11-27

of water and seek medical advice.

In case of skin contact : If the molten material gets on skin, quickly cool in water. Seek

immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist,

call a physician.

If swallowed : Do not induce vomiting without medical advice.

Other cautions for Doctors

Symptoms : No data available.

Risks : No data available.

Treatment : No data available.

SECTION 5: Firefighting measures

Flash point : No data available

Autoignition temperature : No data available

Suitable extinguishing

media

Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards during fire

fighting

Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on

floors and ledges.

Special protective equipment for fire-fighters

: Use personal protective equipment. Wear self-contained

breathing apparatus for firefighting if necessary.

Further information : This material will burn although it is not easily ignited.

Fire and explosion

protection

: Treat as a solid that can burn. Avoid generating dust; fine dust

dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

hazard.

Hazardous decomposition : Normal combustion forms carbon dioxide, water vapor and may

Number:10000000792 4/14

Version 1.8 Revision Date 2023-11-27

products produce carbon monoxide, other hydrocarbons and

hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability.

Incomplete combustion can also produce formaldehyde.

SECTION 6: Accidental release measures

Personal precautions : Sweep up to prevent slipping hazard. Avoid breathing dust.

Avoid dust formation.

Environmental precautions : Do not contaminate surface water. Prevent product from

entering drains.

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Additional advice : Dust deposits should not be allowed to accumulate on

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

SECTION 7: Handling and storage

Handling

Advice on safe handling : Use good housekeeping for safe handling of the product. Keep

out of water sources and sewers. Spilled pellets may create a

slipping hazard.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth,

throat, and lungs. These substances may include

acetaldehyde, acetone, acetic acid, formic acid, formaldehyde

and acrolein. Based on animal data and limited

epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.

Advice on protection against fire and explosion

Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion

hazard.

Secure storage

Requirements for storage areas and containers

: Keep in a dry place. Keep in a well-ventilated place.

Number:10000000792 5/14

Version 1.8 Revision Date 2023-11-27

Uses advised against : None known.

Advice on common storage : Do not store together with oxidizing and self-igniting products.

Specific Use : Manufacture of plastics products

SECTION 8: Exposure controls/personal protection

Chemical exposure standards, biological exposure standards, etc.

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : No respiratory protection is normally required. If heated

material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying

known, or other circumstances where air-purifying respirators

respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not

may not provide adequate protection.

Dust safety masks are recommended when the dust

concentration is excessive.

Eye protection : Use of safety glasses with side shields for solid handling is

good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.

Skin and body protection : At ambient temperatures use of clean and protective clothing is

good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not

adequate.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state : solid
Color : Opaque
Odor : Mild to no odor
Odor Threshold : No data available

Number:10000000792 6/14

Version 1.8 Revision Date 2023-11-27

рΗ : Not applicable

Melting point/range : 90-140°C (194-284°F)

Melting point/freezing point Not applicable

Initial boiling point and boiling : Not applicable

range

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

: Not applicable Vapor pressure

Solubility : negligible

Relative density : Not applicable

Density : 0.91 - 0.97 g/cm3

> Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical

> properties, including density, of this polyethylene resin grade.

Vapor density : Not applicable

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

: Low molecular weight hydrocarbons, alcohols, aldehydes, Decomposition temperature

acids and ketones can be formed during thermal processing.

: Not applicable Viscosity, kinematic

Solubility in other solvents : No data available

Viscosity, dynamic : Not applicable

SECTION 10: Stability and reactivity

Number:100000000792 7/14

Marlex® HXM 50100 Polyethylene

Version 1.8 Revision Date 2023-11-27

Reactivity : This material is considered non-reactive under normal

ambient and anticipated storage and handling conditions of

temperature and pressure.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Conditions to avoid : Avoid prolonged storage at elevated temperature.

Materials to avoid : Avoid contact with strong oxidizing agents.

Thermal decomposition: Low molecular weight hydrocarbons, alcohols, aldehydes,

acids and ketones can be formed during thermal processing.

Hazardous decomposition

products

: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic

acids) depending on temperature and air availability.
Incomplete combustion can also produce formaldehyde.

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Information on exposure routes

Marlex® HXM 50100 Polyethylene

Acute oral toxicity : Presumed Not Toxic

Marlex® HXM 50100 Polyethylene

Acute inhalation toxicity : Presumed Not Toxic

Marlex® HXM 50100 Polyethylene

Acute dermal toxicity : Presumed Not Toxic

Marlex® HXM 50100 Polyethylene

Skin corrosion or irritation : No skin irritation

Marlex® HXM 50100 Polyethylene

Eye corrosion or irritation : No eye irritation

Marlex® HXM 50100 Polyethylene

Number:10000000792 8/14

Version 1.8 Revision Date 2023-11-27

Respiratory Sensitization: Did not cause sensitization on laboratory animals.

Marlex® HXM 50100 Polyethylene

Skin sensitization No data available

Marlex® HXM 50100 Polyethylene

Repeated dose toxicity : No data available

Marlex® HXM 50100 Polyethylene

Germ cell mutagenicity (in : Remarks: No data available

vitro)

Specific Target Organ
Toxicity (Single Exposure)

No adverse effects expected

Specific Target Organ Toxicity (Repeated Exposure)

No adverse effects expected

Marlex® HXM 50100 Polyethylene

Further information

: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.

SECTION 12: Ecological information

Ecological Toxicity

Persistence and degradabilityPersistence

and degradability

: This material is not expected to be readily biodegradable.

Bioaccumulative : Does not bioaccumulate.

Number:10000000792 9/14

Marlex® HXM 50100 Polyethylene

Version 1.8 Revision Date 2023-11-27

Mobility : The product is insoluble and floats on water.

Other adverse effects : This material is not expected to be harmful to aquatic

organisms., Fish or birds may eat pellets which may obstruct

their digestive tracts.

Ecotoxicology Assessment

Short-term (acute) aquatic

: This product has no known ecotoxicological effects.

hazard

Long-term (chronic) aquatic

: This product has no known ecotoxicological effects.

hazard

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

UN Number	:	not regulated	
UN Product Shipping Name		Not regulated as a dangerous good	
Hazard Class	:	Not applicable	
Packing Group	:	Not applicable	
Marine Pollutant		Not applicable	
Special Safety Measures on Mode of Transport		No data available	

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Number:10000000792 10/14

Version 1.8 Revision Date 2023-11-27

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

Regulation under the Occupational Safety and Health Act

Number:10000000792 11/14

Version 1.8 Revision Date 2023-11-27

A Material Safety Datasheet (MSDS) for this product is not required according to article 41 of the ISHA.

Regulations by the Waste

Management Act

: Polyethylene Hexene Copolymer: Designated Waste

Regulations by other domestic and foreign laws

Europe REACH : On the inventory, or in compliance with the inventory Switzerland CH INV : On the inventory, or in compliance with the inventory United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AIIC : On the inventory, or in compliance with the inventory New Zealand NZIoC : On the inventory, or in compliance with the inventory Japan ENCS : On the inventory, or in compliance with the inventory Philippines PICCS : On the inventory, or in compliance with the inventory Korea KECI : A substance(s) in this product was not registered,

notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

Taiwan TCSI : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

Other regulations : No data available

Number:10000000792 12/14


Version 1.8 Revision Date 2023-11-27

SECTION 16: Other information

Source of data	:	Korea. GHS based classification
Date of initial writing	:	2023-06-15
Revision number	:	1
Last revision date	:	2023-11-27

NFPA Classification

: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0



Other information

None.

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of	LD50	Lethal Dose 50%		
	Government Industrial Hygienists				
AIIC	Australian Inventory of Industrial	LOAEL	Lowest Observed Adverse Effect		
	Chemicals		Level		
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency		
	List				
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational		
	Substances List		Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of		
			Chemicals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect		
			Level		

Number:10000000792 13/14

Marlex® HXM 50100 Polyethylene

Version 1.8 Revision Date 2023-11-27

EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST			Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery
			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

Number:10000000792 14/14