

Version 2.0 Revision Date 2025-10-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Di-tert-Nonyl Polysulfide (TNPS 537)

Material : 1104364, 1024830, 1024829, 1024547, 1024554, 1024551,

1024552, 1024550, 1024549, 1024553, 1024548, 1024555,

1024546

Use : Presulfiding Agent, Lubricant Additive

Uses advised against : This material should not be used for purposes other than the

identified uses in section 1 without expert advice.

Company : Chevron Phillips Chemical Company LP

Specialty Chemicals 9500 Lakeside Blvd. The Woodlands. TX 77381

Local : See Company Address

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

SDS Number:100000014148 1/14

Version 2.0 Revision Date 2025-10-10

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared

the SDS

: Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture GHS Classification and labelling according to JIS Z 7252-2019 and JIS Z 7253-2019 (GHS 2015)

Classification

: Skin sensitization, Category 1

Long-term (chronic) aquatic hazard, Category 1

Labeling

Symbol(s) :



¥_2

Signal Word : Warning

Hazard Statements : H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

SDS Number:100000014148 2/14

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0 Revision Date 2025-10-10

Precautionary Statements : Prevention:

P261: Avoid breathing mist or vapors.

P272: Contaminated work clothing should not be allowed out

of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves.

Response:

P302 + P352: IF ON SKIN: Wash with plenty of water.
P333 + P313: If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364: Take off contaminated clothing and wash it

before reuse.

P391: Collect spillage.

Disposal:

P501: Dispose of contents/ container to an approved waste

disposal plant.

SECTION 3: Composition/information on ingredients

Synonyms : Di-tert-nonyl polysulfide

t-Nonyl polysulfide tertiary-Nonyl polysulfide Petroleum Oil, TNPS 537

Molecular formula : C18H38Sx (x= average of 5)

Chemical name	CAS-No.	Concentration	ENCS/ISHL	
			number	
Di-t-nonyl Polysulfide	68425-16-1	100%	2-473	

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic

beverages. Never give anything by mouth to an unconscious

person. If symptoms persist, call a physician.

Notes to physician

Symptoms : No data available.

SDS Number:100000014148 3/14

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0 Revision Date 2025-10-10

Risks : No data available.

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

Flash point : 136-144°C (277-291°F)

Method: PMCC

Autoignition temperature : 240°C (464°F)

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Fire and explosion

protection

Normal measures for preventive fire protection.

Hazardous decomposition

products

: Carbon oxides. Sulfur oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Do not breathe vapors/dust. Avoid exposure - obtain special

instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose

of rinse water in accordance with local and national

regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease

SDS Number:100000014148 4/14

Version 2.0 Revision Date 2025-10-10

should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion

Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against

This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Use : Presulfiding Agent, Lubricant Additive

SECTION 8: Exposure controls/personal protection

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection

If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection

The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

SDS Number:100000014148 5/14

Version 2.0 Revision Date 2025-10-10

> concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : liquid Physical state liquid

Yellow to yellow-orange Color Odor : Mildly unpleasant

Safety data

Flash point : 136-144°C (277-291°F)

Method: PMCC

Lower explosion limit : No data available

Upper explosion limit : No data available

: No Oxidizing properties

Autoignition temperature : 240°C (464°F)

: C18H38Sx (x= average of 5) Molecular formula

Molecular weight : Varies

pΗ : Not applicable

Melting point/ range : <-20.0°C (<-4.0°F)

Freezing point <-20.0°C (<-4.0°F)

Boiling point/boiling range : 208.3-263.8°C (406.9-506.8°F)

> at 99.80 kPa Decomposes

Vapor pressure : 0.00 Pa

at 25°C (77°F)

Relative density

at 20.0 °C (68.0 °F)

Water solubility : 0.063 µg/l

at 20°C (68°F)

Partition coefficient: n-

: $\log Pow: > 5.2$ octanol/water at 20°C (68°F)

Method: OECD Test Guideline 123

SDS Number:100000014148 6/14

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0 Revision Date 2025-10-10

Solubility in other solvents : Medium: Hydrocarbons

soluble

Medium: Water Insoluble

Viscosity, kinematic : 129 mm2/s

at 20°C (68°F)

34.4 mm2/s at 40°C (104°F)

Relative vapor density : No data available

Evaporation rate : < 1

Conductivity : No data available

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as

directed.

Conditions to avoid

Hazardous decomposition

products

: No data available.: Carbon oxides

Sulfur oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

Di-t-nonyl Polysulfide : LD50: 19,550 mg/kg

Species: Rat

Sex: male and female

Method: OECD Test Guideline 401

Acute inhalation toxicity

Di-t-nonyl Polysulfide : LC50: > 15.5 mg/l

Exposure time: 4 h

SDS Number:100000014148 7/14

Version 2.0 Revision Date 2025-10-10

Species: Rat

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity

Di-t-nonyl Polysulfide : LD50: > 2,000 mg/kg

Species: Rabbit Sex: male and female

Method: OECD Test Guideline 402

Information given is based on data obtained from similar

substances.

Skin irritation

Di-t-nonyl Polysulfide : slight irritation.

Eye irritation

Di-t-nonyl Polysulfide : No eye irritation

Sensitization

Di-t-nonyl Polysulfide : May cause sensitization by skin contact.

Repeated dose toxicity

Di-t-nonyl Polysulfide : Species: Rat, female

Sex: female

Application Route: oral gavage Dose: 500, 1000 mg/kg

Exposure time: 14 d Number of exposures: daily

No significant adverse effects were reported

Species: Rat, male

Sex: male

Application Route: oral gavage Dose: 100, 300, 1000 mg/kg

Exposure time: 90 d Number of exposures: daily

NOEL: 100 mg/kg

Method: OECD Test Guideline 408 Target Organs: Kidney, Liver, spleen

Species: Rat, female

Sex: female

Application Route: oral gavage Dose: 100, 300, 1000 mg/kg

Exposure time: 90 d Number of exposures: daily NOEL: 1,000 mg/kg

Method: OECD Test Guideline 408 Target Organs: Liver, spleen

Genotoxicity in vitro

Di-t-nonyl Polysulfide : Test Type: Ames test

SDS Number:100000014148 8/14

Version 2.0 Revision Date 2025-10-10

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Guideline 473

Result: negative

Test Type: Mouse lymphoma assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative

Reproductive toxicity

Di-t-nonyl Polysulfide : No adverse effects expected

Information given is based on data obtained from similar

substances.

Developmental Toxicity

Di-t-nonyl Polysulfide : Species: Rat

Application Route: oral gavage Dose: 100, 300, 1000 mg/kg Number of exposures: daily Test period: GD 6-20

Method: OECD Guideline 414 NOAEL Teratogenicity: 1,000 mg/kg NOAEL Maternal: 1,000 mg/kg

Di-tert-Nonyl Polysulfide (TNPS 537)

Further information : No data available.

SECTION 12: Ecological information

Toxicity to fish

Di-t-nonyl Polysulfide : No data available

Toxicity to daphnia and other aquatic invertebrates

Di-t-nonyl Polysulfide : No data available

Toxicity to algae

Di-t-nonyl Polysulfide : $ErL50: > 0.78 \mu g/l$

Exposure time: 72 h

Species: Raphidocelis subcapitata (freshwater green alga) Growth inhibition Method: OECD Test Guideline 201

M-Factor

Polysulfides, di-tert-nonyl : M-Factor (Chron. Aquat. Tox.) 100

SDS Number:100000014148 9/14

Version 2.0 Revision Date 2025-10-10

Toxicity to fish (Chronic toxicity)

Di-t-nonyl Polysulfide : NOEL: 0.0001 mg/l

Species: Pimephales promelas (fathead minnow)

Test substance: yes

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

Di-t-nonyl Polysulfide : NOEC: > 0.001 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: yes

Method: OECD Test Guideline 211 No toxicity at the limit of solubility.

Biodegradability

Di-t-nonyl Polysulfide : aerobic

0 %

Testing period: 28 d

Method: OECD Test Guideline 301F

Information given is based on data obtained from similar

substances.

Bioaccumulation

Di-t-nonyl Polysulfide : Species: Cyprinus carpio (Carp)

Exposure time: 14 d

Method: OECD Test Guideline 305

Does not bioaccumulate.

Information given is based on data obtained from similar

substances.

Mobility

Di-t-nonyl Polysulfide : No data available

Results of PBT assessment

Di-t-nonyl Polysulfide : Not persistent, bioaccumulative, and toxic (PBT)., Not very

persistent and very bioaccumulative (vPvB).

Long-term (chronic) aquatic hazard

Di-t-nonyl Polysulfide : Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

SDS Number:100000014148 10/14

Version 2.0 Revision Date 2025-10-10

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III, (136 - 144 °C c.c.), MARINE POLLUTANT, (DI-T-NONYL POLYSULFIDE)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3334, AVIATION REGULATED LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUÍD, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III, (-)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

90,UN3082,ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

SDS Number:100000014148 11/14

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0 Revision Date 2025-10-10

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

Poisonous and Deleterious Substances Control Law

: Not applicable

Industrial Safety and Health Law

Substances Subject to be

Notified Names

: Not applicable

: Not applicable

Not applicable

Not applicable

: Not applicable

: Not applicable

: Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances) Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Harmful Substances Required

Permission for Manufacture

Hazardous Substances

Subject to Labeling

Requirements

Ordinance on Prevention of

Organic Solvent Poisoning

Ordinance on Prevention of

Lead Poisoning

Harmful Substances

Prohibited from Manufacture Ordinance on Prevention of

Hazards Due to Specified

Chemical Substances

Ordinance on Prevention of

Tetraalkyl Lead Poisoning

: Not applicable

Not applicable

: Not applicable

Substances Prevented From

: Not applicable

Impairment of Health

Listed

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion of Improvements to the Management Thereof**

SDS Number:100000014148 12/14

Version 2.0 Revision Date 2025-10-10

: Not applicable

Other regulations

Fire Service Law : Flammable liquids

Type 3 petroleums Hazardous rank III

Explosive Control Law : Not applicable

Vessel Safety Law : Not regulated as a dangerous good

Aviation Law : Miscellaneous dangerous substances and articles (Article 194

of The Enforcement Rules of Aviation Law and its Attached

Table 1)

High Pressure Gas Safety Act : Not applicable

Explosive Control Law : Not applicable

Vessel Safety Law : Not regulated as a dangerous good

Aviation Law : Miscellaneous dangerous substances and articles (Article 194

of The Enforcement Rules of Aviation Law and its Attached

Table 1)

Notification status

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AIIC : On the inventory, or in compliance with the inventory

New Zealand NZIoC : Not in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory Japan ISHL : On the inventory, or in compliance with the inventory

Korea KECI : Not in compliance with the inventory

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory Other TECI : On the inventory, or in compliance with the inventory

SECTION 16: Other information

Further information

Legacy SDS Number : 168730

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

SDS Number:100000014148 13/14

Version 2.0 Revision Date 2025-10-10

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act	
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System	
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate	

SDS Number:100000014148 14/14